VOLUME 66 • AUTHOR INDEX

Abele M *see* Klockgether T *et al*
Abernethy DA *see* Corbett M and Abernethy DA
Abramsky O *see* Leker RR *et al*
Acheson J *see* Saldanha G *et al*
Agid Y *see* Vermersch A-I *et al*
Alarcón G *see* Ferrier CH *et al*
Alexandrov AS *see* Christova LG *et al*
Algra A *see* Algra A *et al*
Algra A, van Gijn J. Cumulative meta-analysis of aspirin efficacy after cerebral ischaemia of arterial origin: *letter*, **255**
Algra A *et al.* Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone?: *editorial*, **557**
Al-Rawi PG *see* Czosnyka M *et al*
Alusi SH *et al.* Tremor in multiple sclerosis: *editorial*, **131**
Amoiridis G *see* Klockgether T *et al*
Amsler B *see* Bruehlmeier M *et al*
Anand P *see* Saldanha G *et al*
Anderson JM *et al.* Developmental stuttering and Parkinson's disease: the effects of levodopa treatment, **776**
Anderson JR *see* Barker RA *et al*
Anderson JR *et al.* Neurology of the pituitary gland, **703**
Andres F *see* Bähr M *et al*
see Klockgether T *et al*
Andrews PJD *see* Signorini DF *et al*
see Signorini DF *et al*
Antinnes J *see* Radanov BP *et al*
Antoun N *see* Anderson JR *et al*
Antunez MC *see* Fernandez-Barreiro A *et al*
Arai T *see* Otsuki M *et al*
Arbusow V *see* Schulz P *et al*
Arnold H *see* Gliemroth J *et al*
Arnold SE *et al.* Protease resistant prion proteins are not present in sporadic "poor outcome" schizophrenia, **90**
Ashburner J *see* Ito K *et al*
Assal F *see* Evidente VGH *et al*
Auer A *see* Cheung RTF *et al*
Autret A *see* Corcia P *et al*
Averbuch-Heller L *et al.* Whipple's disease mimicking progressive supranuclear palsy: the diagnostic value of eye movement recording, **532**
Avezaat CJJ *see* van der Ree TC *et al*
Awata S *see* Imran MB *et al*
Aziz TZ *see* Alusi SH *et al*
see Liu X *et al*
Azuma A *see* Sodeyama N *et al*

Babic T, Zurak N. Convulsions induced by donepezil: *letter*, **410**
Bähr M *et al.* Central visual, acoustic, and motor pathway involvement in a Charcot-Marie-Tooth family with an Asn205Ser mutation in the connexin 32 gene, **202**
Bailey DL *see* Ito K *et al*
Bain PG *see* Alusi SH *et al*
Balestri P *et al.* Alternating hemiplegia of childhood or Hashimoto's encephalopathy?: *letter*, **548**
Ball JA *see* Larner AJ *et al*
Bamberg C *see* Seipelt M *et al*
Bandmann O *see* Morris HR *et al*
see Robinson R *et al*
Bannon M *see* Davies E and Bannon M
Barker GJ *see* Wieshmann UC *et al*
Barker RA *et al.* Microangiopathy of the brain and retina with hearing loss in a 50 year old woman: extending the spectrum of Susac's syndrome, **641**
Barker WA *see* Briel RCG *et al*
Barkhof F *see* Sormani MP *et al*
Barnes GR *see* Lekwuwa GU *et al*
Barnes TRE *see* Puri BK *et al*
Baron J-C *see* Eustache F *et al*
Baron J-C. Mechanisms of recovery from aphasia: *commentary*, **136**
Barone P *see* Pellecchia MT *et al*
Barral FG *see* Garnier P *et al*
Bartlett PA *see* Wieshmann UC *et al*
Barton J *see* Mark VW *et al*
Beauchet O *see* Garnier P *et al*
Becker R *et al.* Continuous intrathecal baclofen infusion alleviates autonomic dysfunction in patients with severe supraspinal spasticity: *letter*, **114**
Benamer HTS, de Silva R. An arm with a mind of its own, **800**
Ben-Haim Z *see* Dickstein R *et al*
Ben-Hur T *see* Leker RR *et al*
Ben-Shlomo Y. Health outcome measures: *commentary*, **416**
Berg A *see* Palomäki H *et al*
Berlit P *see* Seipelt M *et al*
Berry I *see* Sabatier J *et al*
Bertalanffy H *see* Becker R *et al*
Best JJK *see* Warwick MM *et al*
Bhigjee AI, Sanyika C. Disseminated cysticercosis, **545**
Bicik I *see* Radanov BP *et al*
Bilbao JM *see* Stefurak TL *et al*
Binnie CD *see* Elwes RDC *et al*
see Ferrier CH *et al*
Biran I *see* Leker RR and Biran I
Birchall D *et al.* Cerebral mucormycosis, **404**
Bisdorff AR *et al.* EMG responses to free fall in elderly subjects and akinetic rigid patients, **447**
Black G *see* Evans DGR *et al*
Black S *see* Mark VW *et al*
Blumbergs PC *see* Kiley MA *et al*
Blumhardt LD *see* Liu C *et al*
see Simonian NA *et al*
Bogousslavsky J *see* Canaple S and Bogousslavsky J
Bojanic S *see* Bolger C *et al*
Bolger C *et al.* Ocular microtremor in patients with idiopathic Parkinson's disease, **528**
Boockvar JA *see* Kotzen RM *et al*
Boogerd W *see* van der Sande JJ *et al*
Book reviews Adams HP, del Zoppo GJ, von Kummer R, *editors*. Management of Stroke: A Practical Guide for the Prevention, Evaluation and Treatment of Acute Stroke, **696**
Blevins NH, Jackler RK, Gralapp C. CD-ROM REVIEW, Temporal Bone Dissector. The Interactive Otology Reference, **555**
Critchley M, Critchley EA, *editors*. John Huglings Jackson-Father of English Neurology, **555**
Eisen E, Kruger C, *editors*. Amyotrophic Lateral Sclerosis: A Synthesis of Research and Clinical Practice, **554**
Fukuyama Y, Osawa M, Saito K. Congenital Muscular Dystrophies, **124**
Gilchrist JM. Prognosis in Neurology, **555**
Goodwill CJ, Chamberlain MA, Evans C. Rehabilitation of the Physically disabled Adult, **125**
Graham DI, Lantos LL, *editors*. Greenfield's Neuropathology. Sixth edition, **696**
Halliday T, editor. Biology: Brain and Behaviour—The Senses and Communication, **807**
Langhorne P, Dennis M, *editors*. Stroke Units: an Evidence Based Approach, **412**
Latov N, Wokke JHJ, Kelly JJ, *editors*. Immunological and Infectious Diseases of the Peripheral Nerves, **412**
Marsden CD, Fowler TJ, *editors*. Clinical Neurology, second edition, **257**
Metcalfe J, *editor*. Biology: Brain and Behaviour— The Brain: Degeneration, Damage and Disorder, **807**
Moore D, *editor*. Partial seizures and interictal disorders: the neuropsychiatric elements, **413**
Moore DP, Jefferson JW. Handbook of Medical Psychiatry, **125**
Morgan O, *editor*. Who Cares? The Great British Health Debate, **125**
Moss TH; Nicoll JAR; Ironside JW, *editors*. Intra-Operative Diagnosis of CNS Tumours, **413**
Perkin GD, *editor*. An Atlas of Parkinson's Disease and Related Disorders, **257**
Poceta JS, Mitler MM, *editors*. Sleep Disorders: Diagnosis and Treatment, **124**
Powell M, Lightman SL, *editors*. Management of Pituitary Tumours, **257**
Quesney LF, Binnie CD, Chatrian G-E, *editors*. Electrocorticography: Current Trends and Future Perspectives, **807**
Reid A, Marchbanks RJ, Arne E, *editors*. Intracranial and Inner Ear Physiology and Pathophysiology, **808**
Robinson D, editor. Biology: Brain and Behaviour—Neurobiology, **807**
Ron MA, David AS, *editors*. Disorders of the Brain and Mind, **697**
Tolosa E, Koller WC, and Gershank OS, *editors*. Differential Diagnosis and Treatment of Movement Disorders, **807**
Troster AI, *editor*. Memory in Neurodegenerative Disease, **808**
Tuxhorn I, Holthausen H, Boenigh H. Paediatric Epilepsy Syndromes and their Surgical Treatment, **125**
Waters CH, *editor*. Diagnosis and Management of Parkinson's Disease, **124**
Yamada S, *editor*. Tethered Cord Syndrome, **413**
Boroojerdi B *et al.* Evidence for a non-orthostatic origin of orthostatic tremor, **284**
Bovim G *see* Obelieniene D *et al*
Boyce HW *see* Theodoropoulos DS *et al*
Bradshaw JL *see* Sheppard DM *et al*
Brandt T *see* Schulz P *et al*
Briel RCG *et al.* EEG findings in dementia with Lewy bodies and Alzheimer's disease, **401**
Brinkmann BH *see* O'Brien TJ *et al*
Bronstein AM *see* Bisdorff AR *et al*
see Munro NAR *et al*

VOLUME 66 • AUTHOR INDEX

Abele M *see* Klockgether T *et al*
Abernethy DA *see* Corbett M and Abernethy DA
Abramsky O *see* Leker RR *et al*
Acheson J *see* Saldanha G *et al*
Agid Y *see* Vermersch A-I *et al*
Alarcón G *see* Ferrier CH *et al*
Alexandrov AS *see* Christova LG *et al*
Algra A *see* Algra A *et al*
Algra A, van Gijn J. Cumulative meta-analysis of aspirin efficacy after cerebral ischaemia of arterial origin: *letter*, **255**
Algra A *et al.* Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone?: *editorial*, **557**
Al-Rawi PG *see* Czosnyka M *et al*
Alusi SH *et al.* Tremor in multiple sclerosis: *editorial*, **131**
Amoiridis G *see* Klockgether T *et al*
Amsler B *see* Bruehlmeier M *et al*
Anand P *see* Saldanha G *et al*
Anderson JM *et al.* Developmental stuttering and Parkinson's disease: the effects of levodopa treatment, **776**
Anderson JR *see* Barker RA *et al*
Anderson JR *et al.* Neurology of the pituitary gland, **703**
Andres F *see* Bähr M *et al*
see Klockgether T *et al*
Andrews PJD *see* Signorini DF *et al*
see Signorini DF *et al*
Antinnes J *see* Radanov BP *et al*
Antoun N *see* Anderson JR *et al*
Antunez MC *see* Fernandez-Barreiro A *et al*
Arai T *see* Otsuki M *et al*
Arbusow V *see* Schulz P *et al*
Arnold H *see* Gliemroth J *et al*
Arnold SE *et al.* Protease resistant prion proteins are not present in sporadic "poor outcome" schizophrenia, **90**
Ashburner J *see* Ito K *et al*
Assal F *see* Evidente VGH *et al*
Auer A *see* Cheung RTF *et al*
Autret A *see* Corcia P *et al*
Averbuch-Heller L *et al.* Whipple's disease mimicking progressive supranuclear palsy: the diagnostic value of eye movement recording, **532**
Avezaat CJJ *see* van der Ree TC *et al*
Awata S *see* Imran MB *et al*
Aziz TZ *see* Alusi SH *et al*
see Liu X *et al*
Azuma A *see* Sodeyama N *et al*

Babic T, Zurak N. Convulsions induced by donepezil: *letter*, **410**
Bähr M *et al.* Central visual, acoustic, and motor pathway involvement in a Charcot-Marie-Tooth family with an Asn205Ser mutation in the connexin 32 gene, **202**
Bailey DL *see* Ito K *et al*
Bain PG *see* Alusi SH *et al*
Balestri P *et al.* Alternating hemiplegia of childhood or Hashimoto's encephalopathy?: *letter*, **548**
Ball JA *see* Larner AJ *et al*
Bamberg C *see* Seipelt M *et al*
Bandmann O *see* Morris HR *et al*
see Robinson R *et al*
Bannon M *see* Davies E and Bannon M
Barker GJ *see* Wieshmann UC *et al*
Barker RA *et al.* Microangiopathy of the brain and retina with hearing loss in a 50 year old woman: extending the spectrum of Susac's syndrome, **641**
Barker WA *see* Briel RCG *et al*
Barkhof F *see* Sormani MP *et al*
Barnes GR *see* Lekwuwa GU *et al*
Barnes TRE *see* Puri BK *et al*
Baron J-C *see* Eustache F *et al*
Baron J-C. Mechanisms of recovery from aphasia: *commentary*, **136**
Barone P *see* Pellecchia MT *et al*
Barral FG *see* Garnier P *et al*
Bartlett PA *see* Wieshmann UC *et al*
Barton J *see* Mark VW *et al*
Beauchet O *see* Garnier P *et al*
Becker R *et al.* Continuous intrathecal baclofen infusion alleviates autonomic dysfunction in patients with severe supraspinal spasticity: *letter*, **114**
Benamer HTS, de Silva R. An arm with a mind of its own, **800**
Ben-Haim Z *see* Dickstein R *et al*
Ben-Hur T *see* Leker RR *et al*
Ben-Shlomo Y. Health outcome measures: *commentary*, **416**
Berg A *see* Palomäki H *et al*
Berlit P *see* Seipelt M *et al*
Berry I *see* Sabatier J *et al*
Bertalanffy H *see* Becker R *et al*
Best JJK *see* Warwick MM *et al*
Bhigjee AI, Sanyika C. Disseminated cysticercosis, **545**
Bicik I *see* Radanov BP *et al*
Bilbao JM *see* Stefurak TL *et al*
Binnie CD *see* Elwes RDC *et al*
see Ferrier CH *et al*
Biran I *see* Leker RR and Biran I
Birchall D *et al.* Cerebral mucormycosis, **404**
Bisdorff AR *et al.* EMG responses to free fall in elderly subjects and akinetic rigid patients, **447**
Black G *see* Evans DGR *et al*
Black S *see* Mark VW *et al*
Blumbergs PC *see* Kiley MA *et al*
Blumhardt LD *see* Liu C *et al*
see Simonian NA *et al*
Bogousslavsky J *see* Canaple S and Bogousslavsky J
Bojanic S *see* Bolger C *et al*
Bolger C *et al.* Ocular microtremor in patients with idiopathic Parkinson's disease, **528**
Boockvar JA *see* Kotzen RM *et al*
Boogerd W *see* van der Sande JJ *et al*
Book reviews Adams HP, del Zoppo GJ, von Kummer R, *editors*. Management of Stroke: A Practical Guide for the Prevention, Evaluation and Treatment of Acute Stroke, **696**
Blevins NH, Jackler RK, Gralapp C. CD-ROM REVIEW, Temporal Bone Dissector. The Interactive Otology Reference, **555**
Critchley M, Critchley EA, *editors*. John Huglings Jackson-Father of English Neurology, **555**
Eisen E, Kruger C, *editors*. Amyotrophic Lateral Sclerosis: A Synthesis of Research and Clinical Practice, **554**
Fukuyama Y, Osawa M, Saito K. Congenital Muscular Dystrophies, **124**
Gilchrist JM. Prognosis in Neurology, **555**
Goodwill CJ, Chamberlain MA, Evans C. Rehabilitation of the Physically disabled Adult, **125**
Graham DI, Lantos LL, *editors*. Greenfield's Neuropathology. Sixth edition, **696**
Halliday T, editor. Biology: Brain and Behaviour—The Senses and Communication, **807**
Langhorne P, Dennis M, *editors*. Stroke Units: an Evidence Based Approach, **412**
Latov N, Wokke JHJ, Kelly JJ, *editors*. Immunological and Infectious Diseases of the Peripheral Nerves, **412**
Marsden CD, Fowler TJ, *editors*. Clinical Neurology, second edition, **257**
Metcalfe J, *editor*. Biology: Brain and Behaviour— The Brain: Degeneration, Damage and Disorder, **807**
Moore D, *editor*. Partial seizures and interictal disorders: the neuropsychiatric elements, **413**
Moore DP, Jefferson JW. Handbook of Medical Psychiatry, **125**
Morgan O, *editor*. Who Cares? The Great British Health Debate, **125**
Moss TH; Nicoll JAR; Ironside JW, *editors*. Intra-Operative Diagnosis of CNS Tumours, **413**
Perkin GD, *editor*. An Atlas of Parkinson's Disease and Related Disorders, **257**
Poceta JS, Mitler MM, *editors*. Sleep Disorders: Diagnosis and Treatment, **124**
Powell M, Lightman SL, *editors*. Management of Pituitary Tumours, **257**
Quesney LF, Binnie CD, Chatrian G-E, *editors*. Electrocorticography: Current Trends and Future Perspectives, **807**
Reid A, Marchbanks RJ, Arne E, *editors*. Intracranial and Inner Ear Physiology and Pathophysiology, **808**
Robinson D, editor. Biology: Brain and Behaviour—Neurobiology, **807**
Ron MA, David AS, *editors*. Disorders of the Brain and Mind, **697**
Tolosa E, Koller WC, and Gershank OS, *editors*. Differential Diagnosis and Treatment of Movement Disorders, **807**
Troster AI, *editor*. Memory in Neurodegenerative Disease, **808**
Tuxhorn I, Holthausen H, Boenigh H. Paediatric Epilepsy Syndromes and their Surgical Treatment, **125**
Waters CH, *editor*. Diagnosis and Management of Parkinson's Disease, **124**
Yamada S, *editor*. Tethered Cord Syndrome, **413**
Boroojerdi B *et al.* Evidence for a non-orthostatic origin of orthostatic tremor, **284**
Bovim G *see* Obelieniene D *et al*
Boyce HW *see* Theodoropoulos DS *et al*
Bradshaw JL *see* Sheppard DM *et al*
Brandt T *see* Schulz P *et al*
Briel RCG *et al.* EEG findings in dementia with Lewy bodies and Alzheimer's disease, **401**
Brinkmann BH *see* O'Brien TJ *et al*
Bronstein AM *see* Bisdorff AR *et al*
see Munro NAR *et al*

Brooks DJ *see* Ito K *et al*
Brooks DJ. C David Marsden 1938–98, **2**
Brown MM *see* Crawley F *et al*
Brown P *see* Wang H-C *et al*
see Wills AJ *et al*
Bruehlmeier M *et al.* Effect of radiotherapy on brain glucose metabolism in patients operated on for low grade astrocytoma, **648**
Brusa L *see* Wills AJ *et al*
Buck A *see* Radanov BP *et al*
Burk K *see* Klockgether T *et al*
Burnet N *see* Anderson JR *et al*
Burns RJ *see* Kiley MA *et al*
Butler MH *see* Saiz A *et al*
Butler SR *see* Mullatti N *et al*
Buzov I. Stjepan Betlheim (1898–1970), **733**

Cadafalch J *see* Iranzo A *et al*
Caemaert J *see* Vingerhoets G *et al*
Canaple S, Bogousslavsky J. Multiple large and small cerebellar infarcts, **739**
Carney AS *see* Mallucci CL *et al*
Carpio A, del Brutto OH. Albendazole therapy for subarachnoid cysticerci: clinical and neuroimaging analysis of 17 patients: *correspondence*, **411**
Caruso G *see* Santoro L *et al*
Casselman J *see* van Zandijcke M and Casselman J
Cavalcanti F *see* Santoro L *et al*
Cavallaro T *see* Fabrizi GM *et al*
Caviness JN *see* Evidente VGH *et al*
Chabrol B *see* Salvan AM *et al*
Chadwick DW *see* Kellett MW *et al*
Chanalet S *see* Lebrun C *et al*
Chang SD *see* Lopéz JR *et al*
Channon S, Green PSS. Executive function in depression: the role of performance strategies in aiding depressed and non-depressed participants, **162**
Chapman MJ *see* Puri BK *et al*
Chapon F *et al.* Axonal phenotype of Charcot-Marie-Tooth disease associated with a mutation in the myelin protein zero gene, **779**
Chateil J-F *see* Leuzzi V *et al*
Chatel M *see* Lebrun C *et al*
Chatterjee K *see* Anderson JR *et al*
Chen Q *see* Saiz A *et al*
Chen X *see* Marshall RS *et al*
Cheung RTF *et al.* MRI in vertebral artery dissection: *letter*, **693**
Chi JG *see* Chung C-K *et al*
Chiron C *see* Nabbout R *et al*
Choudhary PP *see* Lunn MPT *et al*
Christova LG *et al.* Single motor unit activity pattern in patients with Schwartz-Jampel syndrome: *letter*, **252**
Chung C-K *et al.* Intralaminar dural haematoma developing in the contralateral convexity after temporal lobectomy: *letter*, **248**
Ciacci C *see* Pellecchia MT *et al*
Cilio MR *see* Leuzzi V *et al*
Clark CA *see* Wieshmann UC *et al*
Clear D. Anaphylactoid reaction to methyl prednisolone developing after starting treatment with interferon β-1b: *letter*, **690**
Clementz BA *see* Farber RH *et al*
Coakham HB *see* Mullatti N *et al*
Coakley D *see* Bolger C *et al*
Cocozza S *see* Santoro L *et al*
Collins CJS *see* Lekwuwa GU *et al*
Commenges D *see* Letenneur L *et al*
Confort-Gouny S *see* Salvan AM *et al*
Conneally PM *see* Foroud T *et al*
Cooke A *see* de Silva R *et al*
Corbett M, Abernethy DA. Harlequin syndrome, **544**
Corcia P *et al.* Severe toxic neuropathy due to fibrates: *letter*, **410**
Cormier B *see* Heinzlef O *et al*
Corna S *see* Schieppati M *et al*
Coskun O *see* de La Sayette V *et al*
Counsell C *et al.* Clinical usefulness of MRI in multisystem atrophy: *letter*, **694**
Cozzone PJ *see* Salvan AM *et al*
Crawley F *et al.* Cerebral infarction: a rare complication of wasp sting: *letter*, **550**
Crisci C *see* Santoro L *et al*
Crucian GP *see* Anderson JM *et al*
Czosnyka M *see* Czosnyka Z *et al*
Czosnyka M *et al.* Critical closing pressure in cerebrovascular circulation, **606**
Czosnyka Z *et al.* Hydrodynamic performance of a new siphon preventing device: the SiphonGuard: *letter*, **408**

Dalmau J *see* Saiz A *et al*
Daniel SE *see* Morris HR *et al*
Daroff RB *see* Averbuch-Heller L *et al*
Dartigues JF *see* Letenneur L *et al*
Davidson R *see* de Silva R *et al*
Davies A *see* Bisdorff AR *et al*
Davies E, Bannon M. Opportunities for improving the quality of care in malignant cerebral glioma: *letter*, **693**
Deangelis LM. Primary central nervous system lymphoma: *editorial*, **699**
de Camilli P *see* Saiz A *et al*
de Campos JM *see* Santamarta D *et al*
Defer G *see* de La Sayette V *et al*
del Brutto OH *see* Carpio A and del Brutto OH
de La Sayette V *see* Eustache F *et al*
de La Sayette V *et al.* Cluster headache-like attack as an opening symptom of a unilateral infarction of the cervical cord: persistent anaesthesia and dysaesthesia to cold stimuli, **397**
Delalande O *see* Nabbout R *et al*
Delattre JY *see* Saiz A *et al*
de Michele G *see* Pellecchia MT *et al*
see Santoro L *et al*
Dengler R *see* Müller-Vahl KR *et al*
Dennis MS *see* Mead GE *et al*
Desgranges B *see* Eustache F *et al*
Deshmukh P *see* Olivero WC *et al*
de Silva R *see* Benamer HTS and de Silva R
de Silva R *et al.* Molecular genetic diagnosis of Friedreich's ataxia in a pedigree with apparent autosomal dominant spinocerebellar degeneration: *letter*, **117**
de Toffol B *see* Corcia P *et al*
Dichgans J *see* Bähr M *et al*
see Klockgether T *et al*
Dick DJ *see* Barker RA *et al*
see Shaunak S *et al*
Dickstein R *et al.* Activation of selected trunk muscles during symmetric functional activities in poststroke hemiparetic and hemiplegic patients, **218**
Dieterich M *see* Schulz P *et al*
Dillmann U *see* Heide G *et al*
Dippel DWJ *see* van der Ree TC *et al*
Diraison P *see* Chapon F *et al*
di Rocco A, Werner P. Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS: *correspondence*, **554**
Dobbie M *see* Robinson R *et al*
Doder M *et al.* Parkinson's syndrome after closed head injury: a single case report, **380**
Domingo P *see* Iranzo A *et al*
Doody GA *see* Warwick MM *et al*
Dougherty PM *see* Zirh A *et al*
Dromerick AW *see* Hanlon RE *et al*
Dulac O *see* Nabbout R *et al*
Duncan JS *see* Scott CA *et al*
Duong DH *see* Marshall RS *et al*
Dvorak J *see* Radanov BP *et al*

Edwards O *see* Anderson JR *et al*
Edwards S *see* Liu C *et al*
Ell J *see* Hayes M *et al*
Elwes RDC *et al.* Normal magnetic resonance imaging and epilepsy surgery: *commentary*, **3**
Endo K *see* Yao H *et al*
Engelsman J *see* Ferrier CH *et al*
Enomoto H *see* Hanajima R *et al*
Eshuis L *see* Gabreëls-Festen A *et al*
Eustache F *et al.* Episodic memory in transient global amnesia: encoding, storage, or retrieval deficit?, **148**
Evans DGR *et al.* Probability of bilateral disease in people presenting with a unilateral vestibular schwannoma, **764**
Everett CM, Gutowski NJ. Prostatic carcinoma presenting as brain stem dysfunction, **546**
Evidente VGH *et al.* Myoclonus of peripheral origin: *correspondence*, **123**
Ezaki T *see* Yao H *et al*

Fabrizi GM *et al.* Novel mutation of the P0 extracellular domain causes a Déjérine-Sottas syndrome, **386**
Fairbairn AF *see* Briel RCG *et al*
Faragher EB *see* Nee PA *et al*
Farber RH *et al.* Saccadic performance characteristics and the behavioural neurology of Tourette's syndrome, **305**
Farmer SF *see* Munro NAR *et al*
Felber S *see* Cheung RTF *et al*
Felgenhauer K *see* Seipelt M *et al*
Ferbert A *see* Boroojerdi B *et al*
Fernandez JM *see* Fernandez-Barreiro A *et al*
Fernandez-Barreiro A *et al.* A new case of late onset Lafora's disease without generalised seizures: *letter*, **114**
Ferrier CH *et al.* Prognostic factors in presurgical assessment of frontal lobe epilepsy, **350**
Fetoni V *et al.* Affective symptoms in multiple system atrophy and Parkinson's disease: response to levodopa therapy, **541**
Figueiras-Méndez R *et al. Subthalamic nucleus stimulation* improves directly levodopa induced dyskinesias in Parkinson's disease: *letter*, **549**
Filippi M *see* Sormani MP *et al*

Filla A *see* Pellecchia MT *et al*
see Santoro L *et al*
Findlay GFG *see* Stacey RJ *et al*
Fish DR *see* Moran NF *et al*
see Scott CA *et al*
Fleischer S *see* Urban PP *et al*
Flemming KD *et al.* Predicting deterioration in patients with lobar haemorrhages, **600**
Foltys H *see* Boroojerdi B *et al*
Fontan D *see* Leuzzi V *et al*
Forbes RB, Swingler RJ. Utilisation and costs of profession care and assistance according to disability of patients with multiple sclerosis in Flanders (Belgium): *correspondence*, **256**
Foroud T *et al.* Differences in duration of Huntington's disease based on age at onset, **52**
Fountain NB *see* Quigg M and Fountain NB
Foy PM *see* Stacey RJ *et al*
Francis PT *et al.* The cholinergic hypothesis of Alzheimer's disease: a review of progress: *review*, **137**
Free SL *see* Scott CA *et al*
Freeman JA *see* van der Putten JJMF *et al*
Freitag S *see* Heide G *et al*
Frew C *see* de Silva R *et al*
Friston KJ *see* Ito K *et al*
Fujishima M *see* Yao H *et al*
Fukuda H *see* Imran MB *et al*
Fukuda K *see* Yao H *et al*
Fukui M *see* Inamura T *et al*
Fuller R, Jahanshahi M. Concurrent performance of motor tasks and processing capacity in patients with schizophrenia, **668**
Impairment of willed actions and use of advance information for movement preparation in schizophrenia, **502**
Furubayashi T *see* Hanajima R *et al*
Furukawa T *see* Kikyo H and Furukawa T

Gabreëls F *see* Gabreëls-Festen A *et al*
Gabreëls-Festen A *et al.* Study on the gene and phenotypic characterisation of autosomal recessive demyelinating motor and sensory neuropathy (Charcot-Marie-Tooth disease) with a gene locus on chromosome 5q23-q33, **569**
Gaebel C *see* Gliemroth J *et al*
Gale AN *see* Weeks RA *et al*
Garibaldi G *see* Balestri P *et al*
Garnier P *et al.* Isolated ischaemia of the spinal cord due to bilateral vertebral artery dissection: *letter*, **804**
Gasperini C *see* Sormani MP *et al*
Gaymard BM *see* Vermersch A-I *et al*
Gielen F *see* Limousin P *et al*
Gilard V *see* Sabatier J *et al*
Gilleron V *see* Letenneur L *et al*
Girotti F *see* Fetoni V *et al*
Glickman S *see* Alusi SH *et al*
Gliemroth J *et al.* Neoplastic cerebral aneurysm from metastatic lung adenocarcinoma associated with cerebral thrombosis and recurrent subarachnoid haemorrhage, **246**
Goadsby PJ *see* van der Kuy P-HM *et al*
Godwin-Austen RB *see* Hickman SJ *et al*
Goldenberg G *et al.* A dubious therapy for patients with multiple sclerosis: *letter*, **695**
Gong Q *see* Liu C *et al*
Gorson KC *et al.* Gabapentin in the treatment of painful diabetic neuropathy: a placebo controlled, double blind, crossover trial: *letter*, **251**
Gratzl O *see* Bruehlmeier M *et al*
see Roelcke U *et al*
Graus F *see* Saiz A *et al*
Gray I *see* Khalili-Shirazi A *et al*
Gray J *see* Foroud T *et al*
Green PSS *see* Channon S and Green PSS
Greene JDW *et al.* Progressive aphasia with rapidly progressive dementia in a 49 year old woman, **238**
Gregson N *see* Khalili-Shirazi A *et al*
Gresty MA *see* Bisdorff AR *et al*
Grosso S *see* Balestri P *et al*
Guillen JS *see* Fernandez-Barreiro A *et al*
Guillery B *see* Eustache F *et al*
Gujrati M *see* Olivero WC *et al*
Gutowski NJ *see* Everett CM and Gutowski NJ

Haas LF. Theodore Schwann (1810-82), **103**
Multiple sclerosis, **237**
Theodor Meynert (1833–92), **330**
Adam Politzer (1835-1920), **535**
Alexander Onufrievich Kovalevsky (1840-1901), **680**
Hacein-Bey L *see* Marshall RS *et al*
Hadfield JM *see* Nee PA *et al*
Hanajima R *et al.* Intracortical inhibition of the motor cortex is normal in chorea, **783**
Hanlon RE *et al.* Global aphasia without hemiparesis: language profiles and lesion distribution, **365**
Hanna PA *et al.* Comparison of mouse bioassay and immunoprecipitation assay for botulinum toxin antibodies, **612**
Hardie RJ, Morrish P. Measuring the rate of progression and estimating the preclinical period of Parkinson's disease with [^{18}F] dopa PET: *correspondence*, **256**
Hares J *see* Palomäki H *et al*
Harkness WFJ *see* Scott CA *et al*
Hartmann M *et al.* Restless legs syndrome associated with spinal cord lesions: *letter*, **688**
Hartung H-P. Infections and the Guillain-Barré syndrome: *commentary*, **277**
Hashizume Y *see* Nagamatsu M *et al*
Hata J *see* Nagamatsu M *et al*
Hattori N *see* Nagamatsu M *et al*
Hauser MF *see* O'Brien TJ *et al*
Hausmann O *see* Bruehlmeier M *et al*
see Roelcke U *et al*
Hawkins SA *see* McDonnell GV *et al*
Hayashi M *see* Toru S *et al*
Hayes M *et al.* Basilar impression complicating osteogenesis imperfecta type IV: the clinical and neuroradiological findings in four cases, **357**
Heffes Y *see* Dickstein R *et al*
Heide G *et al.* Click evoked myogenic potentials in the differential diagnosis of acute vertigo, **787**
Heilman KM *see* Anderson JM *et al*
Heinzlef O *et al.* Paradoxical emboli: the proof was short lived , **687**
Helmer C *see* Letenneur L *et al*
Henderson LM *see* Hickman SJ *et al*
Herman R *see* Gorson KC *et al*
Hermann RC *see* Wright RA *et al*
Hewitt Y *see* Briel RCG *et al*
Hickman SJ *et al.* Poststreptococcal neuropathy: *letter*, **690**
Hillier CEM *et al.* Thalamotomy for severe antipsychotic induced tardive dyskinesia and dystonia: *letter*, **250**
Hintzen RQ *et al.* Cerebrospinal fluid concentrations of soluble CD27 in HTLV-I associated myelopathy and multiple sclerosis, **791**
Hirata K *see* Hozumi A *et al*
see Koga M *et al*
see Koga M *et al*
Hirono N *see* Yasuda M *et al*
Hirsch NP *see* Rees JH *et al*
Hobart JC *see* van der Putten JJMF *et al*
Hodges JR *see* Greene JDW *et al*
Hommet C *see* Corcia P *et al*
Hongo J *see* Saldanha G *et al*
Hopf HC *see* Thömke F and Hopf HC
see Urban PP *et al*
Howard RS *see* Kelly FE *et al*
see Larner AJ *et al*
see Rees JH *et al*
Hozumi A *et al.* Facial diplegia with paraesthesias: facial nerve enhancement in three dimensional MRI: *letter*, **688**
Hughes A *see* Counsell C *et al*
Hughes JD *see* Anderson JM *et al*
Hughes R *see* Khalili-Shirazi A *et al*
Hughes RAC *see* Lunn MPT *et al*
see Wilson HC *et al*
Humphrey P. Detecting carotid stenoses: *commentary*, **4**
Hung J *see* O'Brien TJ *et al*
Hunt BJ *see* Kelly FE *et al*
Hurko O, Provost TT. Neurology and the skin: *review*, **417**
Hutton SB *see* Puri BK *et al*

Ibayashi S *see* Yao H *et al*
Ichimura M *see* Nagamatsu M *et al*
Iglesias S *see* Eustache F *et al*
Ikeda E *see* Nagamatsu M *et al*
Ikezaki K *see* Inamura T *et al*
Imamura T *see* Yasuda M *et al*
Imran MB *et al.* Tc-99m HMPAO SPECT in the evaluation of Alzheimer's disease: correlation between neuropsychiatric evaluation and CBF images, **228**
Inaba A *see* Toru S *et al*
Inamura T *et al.* Human chorionic gonadotrophin in CSF, not serum, predicts outcome in germinoma, **654**
Ince PG *see* Briel RCG *et al*
Iranzo A *et al.* Proton magnetic resonance spectroscopy pattern of progressive multifocal leukoencephalopathy in AIDS, **520**
Iro H *see* Heide G *et al*
Ironside JW *see* Greene JDW *et al*
Iseki E *see* Katsuragi T *et al*
Ishida K *see* Sodeyama N *et al*
Ishido K *see* Miyagi Y *et al*
Ishpekova BA *see* Christova LG *et al*
Ito K *et al.* Statistical parametric mapping with ^{18}F-dopa PET shows bilaterally reduced striatal and nigral dopaminergic function in early Parkinson's disease, **754**
Ivashina J *see* Foroud T *et al*
Iwabuchi K *see* Katsuragi T *et al*
Iwata M *see* Sasaki S and Iwata M

Jack CR *see* O'Brien TJ *et al*
Jaeckle KA *see* Sodeyama N *et al*
Jahanshahi M *see* Doder M *et al*
see Fuller R and Jahanshahi M
Jankovic J *see* Hanna PA *et al*
Jannetta PJ *et al.* Hemifacial spasm: *correspondence*, **255**
Janssen JC *see* Morris HR *et al*
see Munro NAR *et al*
Janssens M *see* Limousin P *et al*
Janzen RWC *see* Seipelt M *et al*
Jardine A *see* Pelosi L *et al*
Jeffreys RV *see* Stacey RJ *et al*
Jiménez-Jiménez FJ *see* Figueiras-Méndez R *et al*
Johnstone EC *see* Warwick MM *et al*
Jolles J *see* van der Werf YD *et al*
Jolobe O. Neurology and the gastrointestinal system: *letter*, **695**
Jones PA *see* Signorini DF *et al*
see Signorini DF *et al*
Jonville-Bera AP *see* Corcia P *et al*
Joshi S *see* Marshall RS *et al*
Joyce EM *see* Puri BK *et al*

Kaech DL *see* Roelcke U *et al*
Kalimo H *see* Polet JD *et al*
Kamikaseda K *see* Miyagi Y *et al*
Kanazawa I *see* Hanajima R *et al*
Kappelle AC *see* van der Sande JJ *et al*
Kappos L *see* Goldenberg G *et al*
Karlsen KH *et al.* Influence of clinical and demographic variables on quality of life in patients with Parkinson's disease, **431**
Kassam A *see* Jannetta PJ *et al*
Kaste M *see* Palomäki H *et al*
Kato A *see* Yao H *et al*
Katsuragi T *et al.* Cerebrospinal fluid manganese concentrations in patients with symmetric pallidal hyperintensities on T1 weighted MRI: *letter*, **551**
Kawamoto S *see* Kurita H *et al*
Kawashima R *see* Imran MB *et al*
Kehler U *see* Gliemroth J *et al*
Kehoe PG *see* Williams J *et al*
Kellett MW *et al.* Topiramate in clinical practice: first year's postlicensing experience in a specialist epilepsy clinic, **759**
Kelly FE *et al.* Coma in thrombotic thrombocytopenic purpura: *letter*, **689**
Kendall BE *see* Moran NF *et al*
Kennard C. Editorial: *editorial*, **1**
Same name, new face for *JNNP*: www.jnnp.com: *editorial*, **415**
Kennedy CR. Is inherited thrombophilia a risk factor for arterial stroke?: *correspondence*, **806**
Kestelman JN *see* Warwick MM *et al*
Khalili-Shirazi A *et al.* Antiganglioside antibodies in Guillain-Barré syndrome after a recent cytomegalovirus infection, **376**
Kikyo H, Furukawa T. Creutzfeldt-Jakob-like syndrome induced by lithium, levomepromazine, and phenobarbitone: *letter*, **802**
Kiley MA *et al.* Intracerebral haemorrhage due to possible venous obstruction in the neck: *letter*, **118**
Kim YM *see* Chung C-K *et al*
Kimura J *see* Tani T *et al*
Kinomura S *see* Imran MB *et al*
Kirino T *see* Kurita H *et al*
Kirkpatrick P *see* Robertson NP and Kirkpatrick P
Kirkpatrick PJ *see* Czosnyka M *et al*
Kitchen N *see* Moran NF *et al*
Klein KB *see* van der Kuy P-HM *et al*
Klockgether T *et al.* Age related axonal neuropathy in spinocerebellar ataxia type 3/Machado-Joseph disease (SCA3/MJD), **222**
Koga H *see* Yao H *et al*
Koga M *et al.* Antiganglioside antibody in patients with Guillain-Barré syndrome who show bulbar palsy as an initial symptom, **513**
Oropharyngeal palsy in Guillain-Barré and Fisher's syndromes is associated with muscle weakness in the neck and arm: *letter*, **254**
Kolbe H *see* Müller-Vahl KR *et al*
Kosaka K *see* Katsuragi T *et al*
Kosinski CM *see* Boroojerdi B *et al*
Kotzen RM *et al.* Post-traumatic meningioma: case report and historical perspective, **796**
Koudstaal PJ *see* Algra A *et al*
Koyano S *see* Katsuragi T *et al*
Kröger R *see* van der Sande JJ *et al*
Kropp S *see* Seipelt M *et al*
Kullmann DM *see* Rees JH *et al*
Kuno H *see* Sato Y *et al*
Kurita H *et al.* Radiosurgically treated acromegaly, **244**
Kusak ME *see* Santamarta D *et al*

Laccone F *see* Klockgether T *et al*
Lalevée C *see* Eustache F *et al*
Lammie GA *see* Weir NU *et al*
Landmann C *see* Bruehlmeier M *et al*
Landolt H *see* Roelcke U *et al*
Langan Y *see* Lhatoo SD *et al*
Lannoo E *see* Vingerhoets G *et al*
Larner AJ *see* Munro NAR *et al*
Larner AJ *et al.* Sarcoid tumour: continuing diagnostic problems in the MRI era, **510**
Larsen JP *see* Karlsen KH *et al*
Latour P *see* Chapon F *et al*
Laufer Y *see* Dickstein R *et al*
Laville P *see* Eustache F *et al*
Lawrie SM *see* Warwick MM *et al*
Lazar RM *see* Marshall RS *et al*
le Bras F *see* Garnier P *et al*
Lebrun C *et al.* Cortical sclerosis presenting with dementia as a sequel of rapid correction of hyponatraemia, **685**
Lee P *see* Sheppard DM *et al*
Leenders KL *see* Bruehlmeier M *et al*
see Roelcke U *et al*
Lees AJ *see* Doder M *et al*
see Morris HR *et al*
see Wang H-C *et al*
Leguern E *see* Gabreëls-Festen A *et al*
Lehtihalmes M *see* Palomäki H *et al*
Leigh PN *see* Polkey MI *et al*
Leigh RJ *see* Averbuch-Heller L *et al*
Leker RR, Biran I. Unidirectional dyslexia in a polyglot, **517**
Leker RR *et al.* Abundance of left hemispheric embolic strokes complicating coronary angiography and PTCA: *letter*, **116**
Lekwuwa GU *et al.* Progressive bradykinesia and hypokinesia of ocular pursuit in Parkinson's disease, **746**
Lenz FA *see* Zirh A *et al*
Leong WK *see* Birchall D *et al*
Leproux F *see* de La Sayette V *et al*
Letenneur L *et al.* Are sex and educational level independent predictors of dementia and Alzheimer's disease? Incidence data from the PAQUID project, **177**
Leuzzi V *et al.* Childhood demyelinating diseases with a prolonged remitting course and their relation to Schilder's disease: report of two cases: *letter*, **407**
Levin B *see* Marshall RS *et al*
Levy I *see* Saldanha G *et al*
Lewis SC *see* Mead GE *et al*
Lhatoo SD *et al.* Sudden unexpected death: a rare event in a large community based prospective cohort with newly diagnosed epilepsy and high remission rates: *letter*, **692**
Li H *see* Flemming KD *et al*
Li M *see* Nagamatsu M *et al*
Limousin P *see* Lekwuwa GU *et al*
Limousin P *et al.* Multicentre European study of thalamic stimulation in parkinsonian and essential tremor, **289**
Lindeboom J *see* van der Werf YD *et al*
Liu C *see* Simonian NA *et al*
Liu C *et al.* Three dimensional MRI estimates of brain and spinal cord atrophy in multiple sclerosis, **323**
Liu X *et al.* Distal versus proximal arm tremor in multiple sclerosis assessed by visually guided tracking tasks, **43**
li Wan Po A *see* Simonian NA *et al*
Lloyd JJ *see* Varma AR *et al*
Lo Y-L, Mills KR. Motor root conduction in neuralgic amyotrophy: evidence of proximal conduction block, **586**
Lockey RF *see* Theodoropoulos DS *et al*
Lohman JJHM *see* van der Kuy P-HM *et al*
Lönnqvist J *see* Palomäki H *et al*
Lönnqvist R *see* Palomäki H *et al*
Lopéz JR *et al.* The use of electrophysiological monitoring in the intraoperative management of intracranial aneurysms, **189**
López-Pino MA *see* Figueiras-Méndez R *et al*
Loudon M *see* de Silva R *et al*
Louis EKS *see* Flemming KD *et al*
Ludtke R *see* Klockgether T *et al*
Lull J *see* Simonian NA *et al*
Lunder T *see* Mesec A *et al*
Lunn MPT *see* Wilson HC *et al*
Lunn MPT *et al.* Chronic inflammatory demyelinating polyradiculoneuropathy: a prevalence study in south east England, **677**
Lux WE *see* Hanlon RE *et al*
Lyall RA *see* Polkey MI *et al*
Lye R *see* Evans DGR *et al*
Lyon G *see* Leuzzi V *et al*

McAllister A *see* Simonian NA *et al*
McAuliffe W *see* Birchall D *et al*
McCarthy GT *see* Robinson R *et al*
McClelland J *see* Siddall PJ and McClelland J
Macdonald BK *see* Lhatoo SD *et al*
McDonnell GV *et al.* High incidence and prevalence of multiple sclerosis in south east Scotland: evidence of a genetic predisposition: *correspondence*, **411**
McDowall M *see* Mead GE *et al*
Machii K *see* Hanajima R *et al*
McKeith IG *see* Briel RCG *et al*
Maeda K *see* Yasuda M *et al*

Magariños C *see* Figueiras-Méndez R *et al*
Magistris MR *see* Evidente VGH *et al*
Magnie MN *see* Lebrun C *et al*
Mak W *see* Cheung RTF *et al*
Maland JG *see* Karlsen KH *et al*
Malcolm S. Autosomal recessive Charcot-Marie-Tooth disease: *commentary*, **560**
Malet-Martino M *see* Sabatier J *et al*
Mallucci CL *et al.* Clinical features and outcomes in patients with non-acoustic cerebellopontine angle tumours, **768**
Malone JF *see* Bolger C *et al*
Manabe S *see* Sato Y *et al*
Mancini J *see* Salvan AM *et al*
Manelfe C *see* Sabatier J *et al*
Manji H *see* Lunn MPT *et al*
Mann DMA *see* Varma AR *et al*
Manz F *see* Seipelt M *et al*
Marín-Zarza F *see* Figueiras-Méndez R *et al*
Mariman E *see* Gabreëls-Festen A *et al*
Marjamäki M *see* Polet JD *et al*
Mark VW *et al.* Line bisection in hemianopia: *correspondence*, **122**
Marques Jr W *et al.* Central nervous system involvement in a novel connexin 32 mutation affecting identical twins: *letter*, **803**
Marques W *see* Marques Jr W *et al*
Marsden CD *see* Wills AJ *et al*
see Wills AJ *et al*
Marshall RS *et al.* Higher cerebral function and hemispheric blood flow during awake carotid artery balloon test occlusions, **734**
Martí-Fàbregas J *see* Iranzo A *et al*
Martínez V *see* Figueiras-Méndez R *et al*
Martina ISJ *et al.* Chronic motor neuropathies: response to interferon-β1a after failure of conventional therapies, **197**
Marttila RJ *see* Polet JD *et al*
Matsumoto T *see* Yao H *et al*
Matsuya S *see* Nagamatsu M *et al*
Matta BF *see* Czosnyka M *et al*
Mattingley JB *see* Sheppard DM *et al*
Maw AR *see* Mullatti N *et al*
Mead GE *et al.* Can simple clinical features be used to identify patients with severe carotid stenosis on Doppler ultrasound?, **16**
Meijler WJ *see* van der Kuy P-HM *et al*
Mesec A *et al.* Carbamazepine hypersensitivity syndrome presenting as vasculitis of the CNS: *letter*, **249**
Meulstee J *see* Martina ISJ *et al*
Meyer P *see* Barker RA *et al*
Meyniel D *see* Heinzlef O *et al*
Miall RC *see* Liu X *et al*
Michel D *see* Garnier P *et al*
Midroni G *see* Stefurak TL *et al*
Milhorat TH *see* Kotzen RM *et al*
Miller DH *see* Sormani MP *et al*
Miller JD *see* Signorini DF *et al*
see Signorini DF *et al*
Mills KR *see* Lo Y-L and Mills KR
Minderhoud JM *see* van der Naalt J *et al*
Miseviciene I *see* Obelieniene D *et al*
Misu K *see* Nagamatsu M *et al*
Miyagi Y *et al.* Tremor induced by toluene misuse successfully treated by a Vim thalamotomy, **794**
Mizusawa H *see* Sodeyama N *et al*
see Toru S *et al*
Mochizuki H *see* Hanajima R *et al*
Mohr JP *see* Marshall RS *et al*
Molet J *see* Iranzo A *et al*
Molina JA *see* Figueiras-Méndez R *et al*
Mollenhauer B *see* Seipelt M *et al*
Molyneux PD *see* Sormani MP *et al*
Monticelli A *see* Santoro L *et al*
Monza D *see* Fetoni V *et al*
Moran NF *et al.* Supratentorial cavernous haemangiomas and epilepsy: a review of the literature and case series: *review*, **561**
Morbin M *see* Fabrizi GM *et al*
Moreno A *see* Iranzo A *et al*
Morgan MH *see* Mullatti N *et al*
Mori E *see* Yasuda M *et al*
Morris HR *et al.* The *tau* gene A0 polymorphism in progressive supranuclear palsy and related neurodegenerative diseases, **665**
Morrish P *see* Hardie RJ and Morrish P
Morrish PK *see* Ito K *et al*
Moseley IF *see* Doder M *et al*
Moxham J *see* Polkey MI *et al*
Mullan BP *see* O'Brien TJ *et al*
Mullatti N *et al.* Intraoperative monitoring during surgery for acoustic neuroma: benefits of an extratympanic intrameatal electrode, **591**
Muller-Vahl KR *et al.* Transient severe parkinsonism after acute organophosphate poisoning: *letter*, **253**
Muller-Vahl *see* Müller-Vahl KR *et al*
Munro NAR *et al.* The role of the nucleus intercalatus in vertical gaze holding: *correspondence*, **552**
Nabbout R *et al.* Early diagnosis of subependymal giant cell astrocytoma in children with tuberous sclerosis, **370**
Nagamatsu M *et al.* Axonal and perikaryal involvement in chronic inflammatory demyelinating polyneuropathy, **727**
Nakamura N *see* Nagamatsu M *et al*
Nardone A *see* Schieppati M *et al*
Nau R *see* Seipelt M *et al*
Neary D *see* Varma AR *et al*
Neary W *see* Evans DGR *et al*
Nee PA *et al.* Significance of vomiting after head injury, **470**
Nelis ME *see* Bähr M *et al*
Nickel O *see* Urban PP *et al*
Nikoskelainen J *see* Polet JD *et al*
Nishio S *see* Inamura T *et al*
Noth J *see* Boroojerdi B *et al*
Nowak G *see* Glicmroth J *et al*

Obelieniene D *et al.* Pain after whiplash: a prospective controlled inception cohort study, **279**
O'Brien TJ *et al.* Comparative study of ^{99m}Tc-ECD and ^{99m}Tc-HMPAO for peri-ictal SPECT: qualitative and quantitative analysis, **331**
O'Carroll RE *see* Watt KJ and O'Carroll RE
O'Connor MK *see* O'Brien TJ *et al*
Oda M *see* Nagamatsu M *et al*
O'Donoghue GM *see* Mallucci CL *et al*
Oertel WH *see* Pinter MM *et al*
Oger J *see* Hintzen RQ *et al*
Oizumi K *see* Sato Y *et al*
Oksi J *see* Polet JD *et al*
Olivero WC *et al.* Bilateral enhancing thalamic lesions in a 10 year old boy: case report, **633**
Ono S *see* Imran MB *et al*
Orgogozo JM *see* Letenneur L *et al*
Ortí-Pareja M *see* Figueiras-Méndez R *et al*
Otsuka A *see* Otsuki M *et al*
Otsuki M *et al.* Pure apraxic agraphia with abnormal writing stroke sequences: report of a Japanese patient with a left superior parietal haemorrhage, **233**
Owen MJ *see* Williams J *et al*

Palace JA *see* Liu X *et al*
Palmer AM *see* Francis PT *et al*
Palomäki H *et al.* Prevention of poststroke depression: 1 year randomised placebo controlled double blind trial of mianserin with 6 month follow up after therapy, **490**
Panayiotopoulos CP. Elementary visual hallucinations, blindness, and headache in idiopathic occipital epilepsy: differentiation from migraine, **536**
Extraoccipital benign childhood partial seizures with ictal vomiting and excellent prognosis, **82**
Paquis P *see* Lebrun C *et al*
Parchi P *see* Arnold SE *et al*
Parisi JE *see* Wright RA *et al*
Parker G *see* Hayes M *et al*
Paty D *see* Hintzen RQ *et al*
Paulson GW *see* Averbuch-Heller L *et al*
Pearce J. Convolutions and asymmetries of the brain, **56**
Pearce JMS. A critical appraisal of the chronic whiplash syndrome: *editorial*, **273**
Pedespan JM *see* Leuzzi V *et al*
Pellecchia MT *et al.* Idiopathic cerebellar ataxia associated with celiac disease: lack of distinctive neurological features, **32**
Pelosi L *et al.* Neurological complications of anterior spinal surgery for kyphosis with normal somatosensory evoked potentials (SEPs), **662**
Perez JS *see* Fernandez-Barreiro A *et al*
Perkovič T *see* Mesec A *et al*
Perretti A *see* Santoro L *et al*
Perry RH *see* Briel RCG *et al*
Petermeyer M *see* Becker R *et al*
Petty R *see* de Silva R *et al*
Peyron R *see* Garnier P *et al*
Pfadenhauer K *see* Hartmann M *et al*
Pfeiffer G, Steffen W. Guillain-Barré syndrome after heat stroke: *letter*, **408**
Pfister R *see* Hartmann M *et al*
Phan TG, Wijdicks EFM. A sensory level on the trunk and sparing the face from vertebral artery dissection: how much more subtle can we get?: *letter*, **691**
Pickard JD *see* Anderson JR *et al*
see Czosnyka M *et al*
see Czosnyka Z *et al*
Piechnik S *see* Czosnyka M *et al*
Pierrot-Deseilligny C *see* Vermersch A-I *et al*
Pile-Spellman J *see* Marshall RS *et al*
Pilling JB *see* Shaunak S *et al*
Pinter MM *et al.* Efficacy, safety, and tolerance of the non-ergoline dopamine agonist pramipexole in the treatment of advanced Parkinson's disease: a double blind, placebo controlled, randomised, multicentre study, **436**
Plant G *see* Saldanha G *et al*

Plohmann AM *see* Goldenberg G *et al*
Ploner CJ *see* Vermersch A-I *et al*
Pogarell O *see* Pinter MM *et al*
Polet JD *et al.* Lyme borreliosis and intracranial aneurysm: *correspondence*, **806**
Polkey CE *see* Elwes RDC *et al*
see Ferrier CH *et al*
Polkey MI *et al.* Respiratory aspects of neurological disease: *review*, **5**
Pollak A *see* Leker RR *et al*
Poser S *see* Seipelt M *et al*
Price CJ *see* Warburton E *et al*
Provost TT *see* Hurko O and Provost TT
Pujol J *see* Iranzo A *et al*
Puri BK *et al.* Spontaneous dyskinesia in first episode schizophrenia, **76**

Quigg M, Fountain NB. Conduction aphasia elicited by stimulation of the left posterior superior temporal gyrus, **393**
Quinn NP *see* Counsell C *et al*

Radü EW *see* Bruehlmeier M *et al*
see Roelcke U *et al*
Radanov BP *et al.* Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome, **485**
Ragno M *see* Santoro L *et al*
Rakshi JS *see* Ito K *et al*
Ramsden RT *see* Evans DGR *et al*
Rand WM *see* Gorson KC *et al*
Ranjeva J-P *see* Sabatier J *et al*
Rees J *see* Khalili-Shirazi A *et al*
Rees JH *et al.* Creutzfeldt-Jakob disease presenting as complex partial status epilepticus: a report of two cases: *letter*, **406**
Reich SG *see* Zirh A *et al*
Reigosa RP *see* Jannetta PJ *et al*
Rem JA *see* Roelcke U *et al*
Riess O *see* Klockgether T *et al*
Riku S *see* Nagamatsu M *et al*
Ris J *see* Iranzo A *et al*
Rivaud-Pechoux S *see* Vermersch A-I *et al*
Rizzuto N *see* Fabrizi GM *et al*
Roberts N *see* Liu C *et al*
Robertson I *see* Mallucci CL *et al*
Robertson NP, Kirkpatrick P. Moyamoya disease presenting as Valsalva related partial seizures , **111**
Robinson R *et al.* GTP cyclohydrolase deficiency; intrafamilial variation in clinical phenotype, including levodopa responsiveness, **86**
Roelcke U *see* Bruehlmeier M *et al*
Roelcke U *et al.* Operated low grade astrocytomas: a long term PET study on the effect of radiotherapy, **644**
Rolland Y *see* Nabbout R *et al*
Ropper AH *see* Gorson KC *et al*
Rossor MN *see* Morris HR *et al*
Rot U *see* Mesec A *et al*
Rothi LJG *see* Anderson JM *et al*
Rothwell PM *see* McDonnell GV *et al*

Sabatier J *et al.* Contribution of in vivo ^{1}H spectroscopy to the diagnosis of deep-seated brain abscess: *letter*, **120**
Saiz A *et al.* Anti-amphiphysin I antibodies in patients with paraneoplastic neurological disorders associated with small cell lung carcinoma, **214**
Sakai M *see* Nagamatsu M *et al*
Saldanha G *et al.* Decreased CGRP, but preserved Trk A immunoreactivity in nerve fibres in inflamed human superficial temporal arteries, **390**
Salvan AM *et al.* In vivo cerebral proton MRS in a case of subacute sclerosing panencephalitis: *letter*, **547**
Sand T *see* Obelieniene D *et al*
Sander JWAS *see* Lhatoo SD *et al*
Santamarta D *et al.* Increased cerebrospinal fluid flow through the foramen of Magendie after decompression for Chiari I malformation, **799**
Santoro L *et al.* Relation between trinucleotide GAA repeat length and sensory neuropathy in Friedreich's ataxia, **93**
Santos M *see* Nabbout R *et al*
Sanyika C *see* Bhigjee AI and Sanyika C
Sarkies N *see* Anderson JR *et al*
Sasaki S, Iwata M. Atypical form of amyotrophic lateral sclerosis, **581**
Satake M *see* Nagamatsu M *et al*
Sato K *see* Imran MB *et al*
Sato M *see* Imran MB *et al*
Sato Y *et al.* Amelioration of osteopenia and hypovitaminosis D by 1α-hydroxyvitamin D3 in elderly patients with Parkinson's disease, **64**
Sautier W *see* Schulz P *et al*
Scala R *see* Pellecchia MT *et al*
Schaeffer S *see* Chapon F *et al*
see de La Sayette V *et al*
see Eustache F *et al*
Scheltens P *see* van der Werf YD *et al*
Schey S *see* Wilson HC *et al*
Schöls L *see* Klockgether T *et al*
Schieppati M *et al.* Subjective perception of body sway, **313**
Schimrigk K *see* Heide G *et al*
Schmitz PIM *see* Martina ISJ *et al*
Schon F *see* Crawley F *et al*
Schott C *see* Gorson KC *et al*
Schrader H *see* Obelieniene D *et al*
Schrag A *see* Counsell C *et al*
Schubert KH *see* Bruehlmeier M *et al*
Schulz P *et al.* Sympathetic contralateral vestibulopathy after unilateral zoster oticus, **672**
Schwarz M *see* Boroojerdi B *et al*
Scolding NJ *see* Barker RA *et al*
Scott CA *et al.* Presurgical evaluation of patients with epilepsy and normal MRI: role of scalp video-EEG telemetry, **69**
Seddigh S *et al.* Complex partial seizures provoked by photic stimulation: *letter*, **801**
Seipelt M *et al.* Hashimoto's encephalitis as a differential diagnosis of Creutzfeldt-Jakob disease, **172**
Shackleton DP *et al.* Mortality in patients with epilepsy: 40 years of follow up in a Dutch cohort study, **636**
Shaunak S *et al.* Pericardial, retroperitoneal, and pleural fibrosis induced by pergolide, **79**
Sheahan NF *see* Bolger C *et al*
Shepherd DI. Macs with multiple sclerosis: *correspondence*, **410**
Sheppard DM *et al.* Effects of stimulant medication on the lateralisation of line bisection judgements of children with attention deficit hyperactivity disorder, **57**
Shiio Y *see* Hanajima R *et al*
Shima F *see* Miyagi Y *et al*
Shorvon S *see* Moran NF *et al*
Shorvon SD *see* Scott CA *et al*
see Wieshmann UC *et al*
Šibanc B *see* Mesec A *et al*
Siddall PJ, McClelland J. Non-painful sensory phenomena after spinal cord injury, **617**
Sierra JM *see* Santamarta D *et al*
Signorini DF *et al.* Adding insult to injury: the prognostic value of early secondary insults for survival after traumatic brain injury, **26**
Predicting survival using simple clinical variables: a case study in traumatic brain injury, **20**
Sillence D *see* Hayes M *et al*
Simonati A *see* Fabrizi GM *et al*
Simonian NA *et al.* "Summary measure" statistic for assessing the outcome of treatment trials in relapsing-remitting multiple sclerosis: *correspondence*, **553**
Simpson BA *see* Hillier CEM *et al*
Sluiter WJ *see* van der Naalt J *et al*
Smielewski P *see* Czosnyka M *et al*
Smith DF *see* Kellett MW *et al*
Smith SA, Smith SE. Bilateral Horner's syndrome: detection and occurrence, **48**
Smith SE *see* Smith SA and Smith SE
Smith SJ *see* Rees JH *et al*
Smith SJM *see* Scott CA *et al*
Smitt PAES *see* van der Ree TC *et al*
Snape M *see* Francis PT *et al*
Snowden JS *see* Varma AR *et al*
So EL *see* O'Brien TJ *et al*
Sobue G *see* Nagamatsu M *et al*
Sodeyama N *et al.* Pattern of epitopic reactivity of the anti-Hu antibody on HuD with and without paraneoplastic syndrome, **97**
Soliveri P *see* Fetoni V *et al*
Soma Y *see* Otsuki M *et al*
Sonninen P *see* Polet JD *et al*
Soriano JBE *see* Fernandez-Barreiro A *et al*
Sormani MP *et al.* Statistical power of MRI monitored trials in multiple sclerosis: new data and comparison with previous results, **465**
Speelman JD *see* Limousin P *et al*
Stacey RJ *et al.* Cavernomas in the central nervous system and the relevance of multiple intracranial lesions in the familial form of this disease: *letter*, **117**
Steffen W *see* Pfeiffer G and Steffen W
Stefurak TL *et al.* Vasculitic polyradiculopathy in systemic lupus erythematosus, **658**
Stein JF *see* Liu X *et al*
Steinberg GK *see* Lopéz JR *et al*
Steinhoff BJ *see* Seipelt M *et al*
Stevens JM *see* Moran NF *et al*
see Scott CA *et al*
Stockton PA *see* Kellett MW *et al*
Strachan T *see* Evans DGR *et al*
Strupp M *see* Schulz P *et al*
Sure U *see* Becker R *et al*
Surtees R *see* Robinson R *et al*
Swanson RM *see* Kotzen RM *et al*
Sweeney MG *see* Marques Jr W *et al*

Swerdlow NR *see* Farber RH *et al*
Swinburn K *see* Warburton E *et al*
Swingler RJ *see* Forbes RB and Swingler RJ
Symms MR *see* Wieshmann UC *et al*

Tacchini E *see* Schieppati M *et al*
Taioli F *see* Fabrizi GM *et al*
Talbot PR *see* Varma AR *et al*
Tanaka C *see* Yasuda M *et al*
Tandberg E *see* Karlsen KH *et al*
Tani T *et al.* Cervical spondylotic myelopathy in elderly people: a high incidence of conduction block at C3–4 or C4–5, **456**
Tarantola J *see* Schieppati M *et al*
Terao S *see* Nagamatsu M *et al*
Terao Y *see* Hanajima R *et al*
Testa D *see* Fetoni V *et al*
Theodoropoulos DS *et al.* Sandifer's syndrome and gastro-oesophageal reflux disease: *correspondence*, **805**
Thomas P *see* Lebrun C *et al*
Thomas PK *see* Lunn MPT *et al*
see Weeks RA *et al*
Thömke F *see* Seddigh S *et al*
Thömke F, Hopf HC. Pontine lesions mimicking acute peripheral vestibulopathy, **340**
Thompson AJ *see* van der Putten JJMF *et al*
Thompson PD. Orthostatic tremor: *commentary*, **278**
Thompson PJ *see* Scott CA *et al*
Tijssen CC *see* van Rooij WJ and Tijssen CC
Timmerman V *see* Bähr M *et al*
Topka H *see* Klockgether T *et al*
Toru S *et al.* Autonomic dysfunction and orthostatic hypotention caused by vitamin B12 deficiency: *letter*, **804**
Treacher DF *see* Kelly FE *et al*
Tremoulet M *see* Sabatier J *et al*
Trenité DGAK-N *see* Shackleton DP *et al*
Trojanowski JQ *see* Arnold SE *et al*
Tsang KL *see* Cheung RTF *et al*
Tsuji S *see* Otsuki M *et al*
Turjanski N *see* Doder M *et al*

Uchimura H *see* Yao H *et al*
Uchino A *see* Yao H *et al*
Uema T *see* Ito K *et al*
Uesugi H *see* Hanajima R *et al*
Ugawa Y *see* Hanajima R *et al*
Urban PP *et al.* Isolated dysarthria due to extracerebellar lacunar stroke: a central monoparesis of the tongue, **495**

van Beersum S *see* Gabreëls-Festen A *et al*
van Broeckhoven C *see* Bähr M *et al*
van den Abbeele D *see* Vingerhoets G *et al*
van den Bent MJ *see* van der Ree TC *et al*
Vandenberghe A *see* Chapon F *et al*
Vandenbroucke JP *see* Shackleton DP *et al*
van der Kuy P-HM *et al.* A triptan too far?: *correspondence*, **121**
van der Linden C *see* Vingerhoets G *et al*
van der Meché FGA *see* Martina ISJ *et al*
van der Naalt J *et al.* One year outcome in mild to moderate head injury: the predictive value of acute injury characteristics related to complaints and return to work, **207**
van der Putten JJMF *et al.* Measuring change in disability after inpatient rehabilitation: comparison of the responsiveness of the Barthel Index and the Functional Independence Measure, **480**
van der Ree TC *et al.* Leptomeningeal metastasis after surgical resection of brain metastases, **225**
van der Sande JJ *et al.* Recurrent spinal epidural metastases: a prospective study with a complete follow up, **623**
van der Werf YD *et al.* Neuropsychological correlates of a right unilateral lacunar thalamic infarction, **36**
Vandewalle V *see* Vingerhoets G *et al*
van Doorn PA *see* Martina ISJ *et al*
van Engelen B *see* Gabreëls-Festen A *et al*
van Gijn J *see* Algra A and van Gijn J
see Algra A *et al*
see Weir NU *et al*
Vanloffeld W *see* Roelcke U *et al*
van Rooij WJ, Tijssen CC. One stage endovascular treatment of multiple intracranial aneurysms , **112**
van Zandijcke M, Casselman J. Suprascapular nerve entrapment at the spinoglenoid notch due to a ganglion cyst, **245**
van Zomeren AH *see* van der Naalt J *et al*
Varma AR *et al.* Evaluation of the NINCDS-ADRDA criteria in the differentiation of Alzheimer's disease and frontotemporal dementia, **184**
Vecht CJ *see* van der Ree TC *et al*
Vera PC *see* Fernandez-Barreiro A *et al*
Vermersch A-I *et al.* Memory guided saccade deficit after caudate nucleus lesion, **524**
Viader F *see* Eustache F *et al*
Viljanen MK *see* Polet JD *et al*
Villaverde R *see* Fernandez-Barreiro A *et al*
Vincent A *see* Hanna PA *et al*
Vingerhoets FJ *see* Evidente VGH *et al*
Vingerhoets G *et al.* Cognitive outcome after unilateral pallidal stimulation in Parkinson's disease, **297**
Vion-Dury J *see* Salvan AM *et al*
Vital A *see* Leuzzi V *et al*
Vogt T *see* Seddigh S *et al*
von Ammon K *see* Bruehlmeier M *et al*
see Roelcke U *et al*
von Schulthess GK *see* Radanov BP *et al*

Wada Y *see* Sodeyama N *et al*
Wallace A *see* Evans DGR *et al*
Wang HC *see* Wills AJ *et al*
Wang H-C *et al.* Impairment of EEG desynchronisation before and during movement and its relation to bradykinesia in Parkinson's disease, **442**
Warburton E *et al.* Mechanisms of recovery from aphasia: evidence from positron emission tomography studies, **155**
Ward V *see* Mallucci CL *et al*
Wardlaw JM *see* Mead GE *et al*
see Signorini DF *et al*
see Signorini DF *et al*
see Weir NU *et al*
Warlow CP *see* Greene JDW *et al*
see Weir NU *et al*
Warwick MM *et al.* Volumetric magnetic resonance imaging study of the brain in subjects with sex chromosome aneuploidies, **628**
Watanabe H *see* Nagamatsu M *et al*
Watanabe T. Evaluation by magnetic resonance imaging of the entrapped temporal horn syndrome , **113**
Watt KJ, O'Carroll RE. Evaluating methods for estimating premorbid intellectual ability in closed head injury, **474**
Webb JK *see* Pelosi L *et al*
Weeks RA *et al.* Abdominal pseudohernia caused by diabetic truncal radiculoneuropathy, **405**
Weerts JGE *see* van der Werf YD *et al*
Weinstein HC *see* Polet JD *et al*
Weir NU *et al.* Recurrent cerebral haemorrhage in a 65 year old man: advanced clinical neurology course, Edinburgh, 1997, **104**
Werner P *see* di Rocco A and Werner P
Werring DJ *see* Wills AJ *et al*
Westendorp RGJ *see* Shackleton DP *et al*
Wicht S *see* Urban PP *et al*
Wieshmann UC *et al.* Diffusion weighted MRI demonstrates abnormal pyramidal tract in hemiparesis, **797**
Wijdicks EFM *see* Flemming KD *et al*
see Phan TG and Wijdicks EFM
Wilcock GK *see* Francis PT *et al*
Wiles CM *see* Hillier CEM *et al*
Wilhelm-Gössling C *see* Seipelt M *et al*
Wilkins A *see* Shaunak S *et al*
Williams FMK *see* Kelly FE *et al*
Williams J *et al.* Case-control study of presenelin-1 intronic polymorphism: *commentary*, **702**
Wills AJ *et al.* Levodopa may improve orthostatic tremor: case report and trial of treatment, **681**
Wilson HC *et al.* Successful treatment of IgM paraproteinaemic neuropathy with fludarabine, **575**
Winer J *see* Khalili-Shirazi A *et al*
Wise RJS *see* Warburton E *et al*
Witter MP *see* van der Werf YD *et al*
Wollenberg I *see* Heide G *et al*
Wolsley C *see* Bisdorff AR *et al*
Wolters M *see* Vingerhoets G *et al*
Wood NW *see* Marques Jr W *et al*
see Morris HR *et al*
see Robinson R *et al*
Wright RA *et al.* Neurological manifestations of Erdheim-Chester disease, **72**
Wroe SJ *see* Marques Jr W *et al*

Yamada M *see* Sodeyama N *et al*
see Toru S *et al*
Yamamoto H *see* Nagamatsu M *et al*
see Tani T *et al*
Yamawaki M *see* Toru S *et al*
Yamazaki K *see* Hozumi A *et al*
Yao H *et al.* Decreased plasma tryptophan associated with deep white matter lesions in elderly subjects, **100**
Yasuda M *et al.* Case-control study of presenilin-1 intronic polymorphism in sporadic early and late onset Alzheimer's disease, **722**
Yasutake T *see* Miyagi Y *et al*
Yates DW *see* Nee PA *et al*
Yokota T *see* Toru S *et al*
Young A *see* Bisdorff AR *et al*
Young WL *see* Marshall RS *et al*
Yousry TA *see* Sormani MP *et al*

Yuki N *see* Hozumi A *et al*
see Koga M *et al*
Yuzuriha T *see* Yao H *et al*

Zeidan S *see* Lhatoo SD *et al*
Zeman AZJ. Episodic memory in transient global amnesia: *commentary,* **135**
Zerr I *see* Seipelt M *et al*
Zhang L *see* Sodeyama N *et al*
Zirh A *et al.* Stereotactic thalamotomy in the treatment of essential tremor of the upper extremity: reassessment including a blinded measure of outcome, **772**
Zurak N *see* Babic T and Zurak N

VOLUME 66 • SUBJECT INDEX

^{18}F-dopa, Statistical parametric mapping with ^{18}F-dopa PET shows bilaterally reduced striatal and nigral dopaminergic function in early Parkinson's disease, **754**

^{99m}Tc-ECD, Comparative study of ^{99m}Tc-ECD and ^{99m}Tc-HMPAO for peri-ictal SPECT: qualitative and quantitative analysis, **331**

^{99m}Tc-HMPAO, Comparative study of ^{99m}Tc-ECD and ^{99m}Tc-HMPAO for peri-ictal SPECT: qualitative and quantitative analysis, **331**

A0 polymorphism, The *tau* gene A0 polymorphism in progressive supranuclear palsy and related neurodegenerative diseases, **665**

abdominal pseudohernia, Abdominal pseudohernia caused by diabetic truncal radiculoneuropathy, **405**

acetylcholine, The cholinergic hypothesis of Alzheimer's disease: a review of progress: *review,* **137**

acoustic neuroma surgery, Intraoperative monitoring during surgery for acoustic neuroma: benefits of an extratympanic intrameatal electrode, **591**

acromegaly, Radiosurgically treated acromegaly, **244**

action tremor, Evidence for a non-orthostatic origin of orthostatic tremor, **284**

activated protein C resistance, Microangiopathy of the brain and retina with hearing loss in a 50 year old woman: extending the spectrum of Susac's syndrome, **641**

acute peripheral vestibulopathy, Click evoked myogenic potentials in the differential diagnosis of acute vertigo, **787**

Pontine lesions mimicking acute peripheral vestibulopathy, **340**

adults, Adding insult to injury: the prognostic value of early secondary insults for survival after traumatic brain injury, **26**

age at onset, Differences in duration of Huntington's disease based on age at onset, **52**

aging, Decreased plasma tryptophan associated with deep white matter lesions in elderly subjects, **100**

AIDS, Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS: *correspondence,* **554**

Proton magnetic resonance spectroscopy pattern of progressive multifocal leukoencephalopathy in AIDS, **520**

akinesia, EMG responses to free fall in elderly subjects and akinetic rigid patients, **447**

albendazole, Albendazole therapy for subarachnoid cysticerci: clinical and neuroimaging analysis of 17 patients: *correspondence,* **411**

alexia without agraphia, Unidirectional dyslexia in a polyglot, **517**

allergy, Anaphylactoid reaction to methyl prednisolone developing after starting treatment with interferon β-1b: *letter,* **690**

allodynia, Cluster headache-like attack as an opening symptom of a unilateral infarction of the cervical cord: persistent anaesthesia and dysaesthesia to cold stimuli, **397**

alternating hemiplegia of childhood, Alternating hemiplegia of childhood or Hashimoto's encephalopathy?: *letter,* **548**

Alzheimer's disease, Case-control study of presenilin-1 intronic polymorphism in sporadic early and late onset Alzheimer's disease, **722**

Convulsions induced by donepezil: *letter,* **410**

Evaluation of the NINCDS-ADRDA criteria in the differentiation of Alzheimer's disease and frontotemporal dementia, **184**

Tc-99m HMPAO SPECT in the evaluation of Alzheimer's disease: correlation between neuropsychiatric evaluation and CBF images, **228**

The cholinergic hypothesis of Alzheimer's disease: a review of progress: *review,* **137**

amino acids, Decreased plasma tryptophan associated with deep white matter lesions in elderly subjects, **100**

amnesia, Neuropsychological correlates of a right unilateral lacunar thalamic infarction, **36**

amphiphysin I, Anti-amphiphysin I antibodies in patients with paraneoplastic neurological disorders associated with small cell lung carcinoma, **214**

amyotrophic lateral sclerosis, Atypical form of amyotrophic lateral sclerosis, **581**

aneurysm, The use of electrophysiological monitoring in the intraoperative management of intracranial aneurysms, **189**

anterograde amnesia, Episodic memory in transient global amnesia: encoding, storage, or retrieval deficit?, **148**

antibodies, Comparison of mouse bioassay and immunoprecipitation assay for botulinum toxin antibodies, **612**

anticoagulants, Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone?: *editorial,* **557**

antiendomesium antibodies, Idiopathic cerebellar ataxia associated with celiac disease: lack of distinctive neurological features, **32**

antiganglioside antibodies, Guillain-Barré syndrome after heat stroke: *letter,* **408**

antiganglioside antibody, Antiganglioside antibody in patients with Guillain-Barré syndrome who show bulbar palsy as an initial symptom, **513**

antigliadin antibodies, Idiopathic cerebellar ataxia associated with celiac disease: lack of distinctive neurological features, **32**

anti-Hu antibody, Pattern of epitopic reactivity of the anti-Hu antibody on HuD with and without paraneoplastic syndrome, **97**

antineuronal antibody, Sympathetic contralateral vestibulopathy after unilateral zoster oticus, **672**

antipsychotic medication, Thalamotomy for severe antipsychotic induced tardive dyskinesia and dystonia: *letter,* **250**

aphasia, Conduction aphasia elicited by stimulation of the left posterior superior temporal gyrus, **393**

Global aphasia without hemiparesis: language profiles and lesion distribution, **365**

Mechanisms of recovery from aphasia: evidence from positron emission tomography studies, **155**

Mechanisms of recovery from aphasia: *commentary,* **136**

Argyll-Robertson syndrome, Axonal phenotype of Charcot-Marie-Tooth disease associated with a mutation in the myelin protein zero gene, **779**

arm, Distal versus proximal arm tremor in multiple sclerosis assessed by visually guided tracking tasks, **43**

arterial stroke, Is inherited thrombophilia a risk factor for arterial stroke?: *correspondence,* **806**

arteritis, Decreased CGRP, but preserved Trk A immunoreactivity in nerve fibres in inflamed human superficial temporal arteries, **390**

artery dissection, Isolated ischaemia of the spinal cord due to bilateral vertebral artery dissection: *letter,* **804**

aspirin, Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone?: *editorial,* **557**

aspirin efficacy, Cumulative meta-analysis of aspirin efficacy after cerebral ischaemia of arterial origin: *letter,* **255**

assessment, Evaluating methods for estimating premorbid intellectual ability in closed head injury, **474**

Association of British Neurologists, Proceedings of the Association of British Neurologists, Royal College of Physicians, London, 9-11 September 1998 , **258**

astrocytoma, Early diagnosis of subependymal giant cell astrocytoma in children with tuberous sclerosis, **370**

ataxia, Idiopathic cerebellar ataxia associated with celiac disease: lack of distinctive neurological features, **32**

atrophy, Three dimensional MRI estimates of brain and spinal cord atrophy in multiple sclerosis, **323**

attention deficit hyperactivity disorder, Effects of stimulant medication on the lateralisation of line bisection judgements of children with attention deficit hyperactivity disorder, **57**

atypical muscular atrophy, Atypical form of amyotrophic lateral sclerosis, **581**

autoantibodies, Anti-amphiphysin I antibodies in patients with paraneoplastic neurological disorders associated with small cell lung carcinoma, **214**

automated image registration, Tc-99m HMPAO SPECT in the evaluation of Alzheimer's disease: correlation between neuropsychiatric evaluation and CBF images, **228**

autonomic dysfunction, Continuous intrathecal baclofen infusion alleviates autonomic dysfunction in patients with severe supraspinal spasticity: *letter,* **114**

autosomal dominant inheritance, Molecular genetic diagnosis of Friedreich's ataxia in a pedigree with apparent autosomal dominant spinocerebellar degeneration: *letter,* **117**

autosomal recessive inheritance, Study on the gene and phenotypic characterisation of autosomal recessive demyelinating motor and sensory neuropathy (Charcot-Marie-Tooth disease) with a gene locus on chromosome 5q23-q33, **569**

axon loss, Axonal and perikaryal involvement in chronic inflammatory demyelinating polyneuropathy, **727**

axonal neuropathy, Age related axonal neuropathy in spinocerebellar ataxia type 3/Machado-Joseph disease (SCA3/MJD), **222**

Axonal phenotype of Charcot-Marie-Tooth disease associated with a mutation in the myelin protein zero gene, **779**

balance, Subjective perception of body sway, **313**

Barthel Index, Measuring change in disability after inpatient rehabilitation: comparison of the responsiveness of the Barthel Index and the Functional Independence Measure, **480**

basal ganglia, Saccadic performance characteristics and the behavioural neurology of Tourette's syndrome, **305**

basilar impression, Basilar impression complicating osteogenesis imperfecta type IV: the clinical and neuroradiological findings in four cases, **357**

benign childhood partial seizures, Extraoccipital benign childhood partial seizures with ictal vomiting and excellent prognosis, **82**

blinded assessment, Stereotactic thalamotomy in the treatment of essential tremor of the upper extremity: reassessment including a blinded measure of outcome, **772**

blunted affect, Affective symptoms in multiple system atrophy and Parkinson's disease: response to levodopa therapy, **541**

botulinum toxin, Comparison of mouse bioassay and immunoprecipitation assay for botulinum toxin antibodies, **612**
bradykinesia, Impairment of EEG desynchronisation before and during movement and its relation to bradykinesia in Parkinson's disease, **442**
Progressive bradykinesia and hypokinesia of ocular pursuit in Parkinson's disease, **746**
brain abscess, Contribution of in vivo ^{1}H spectroscopy to the diagnosis of deep-seated brain abscess: *letter,* **120**
brain asymmetry, Convolutions and asymmetries of the brain, **56**
brain damage, Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome, **485**
brain glucose metabolism, Effect of radiotherapy on brain glucose metabolism in patients operated on for low grade astrocytoma, **648**
brain mapping, Conduction aphasia elicited by stimulation of the left posterior superior temporal gyrus, **393**
brain metastasis, Leptomeningeal metastasis after surgical resection of brain metastases, **225**
brain stem, Prostatic carcinoma presenting as brain stem dysfunction, **546**
brain tumour, Clinical features and outcomes in patients with non-acoustic cerebellopontine angle tumours, **768**
Contribution of in vivo ^{1}H spectroscopy to the diagnosis of deep-seated brain abscess: *letter,* **120**
brainstem lesions, Pontine lesions mimicking acute peripheral vestibulopathy, **340**
bulbar palsy, Antiganglioside antibody in patients with Guillain-Barré syndrome who show bulbar palsy as an initial symptom, **513**

C David Marsden, C David Marsden 1938–98, **2**
cafe au lait spots, Neurology and the skin: *review,* **417**
CAG repeat mutation, Age related axonal neuropathy in spinocerebellar ataxia type 3/Machado-Joseph disease (SCA3/MJD), **222**
calcitonin gene related peptide, Decreased CGRP, but preserved Trk A immunoreactivity in nerve fibres in inflamed human superficial temporal arteries, **390**
carbamazepine, Carbamazepine hypersensitivity syndrome presenting as vasculitis of the CNS: *letter,* **249**
carotid occlusion, Higher cerebral function and hemispheric blood flow during awake carotid artery balloon test occlusions, **734**
carotid stenosis, Can simple clinical features be used to identify patients with severe carotid stenosis on Doppler ultrasound?, **16**
Detecting carotid stenoses: *commentary,* **4**
carrier status, Molecular genetic diagnosis of Friedreich's ataxia in a pedigree with apparent autosomal dominant spinocerebellar degeneration: *letter,* **117**
case report, Parkinson's syndrome after closed head injury: a single case report, **380**
caudate nucleus lesion, Memory guided saccade deficit after caudate nucleus lesion, **524**
cavernomas, Cavernomas in the central nervous system and the relevance of multiple intracranial lesions in the familial form of this disease: *letter,* **117**
cavernous haemangioma epilepsy, Supratentorial cavernous haemangiomas and epilepsy: a review of the literature and case series: *review,* **561**
CCRT, Evaluating methods for estimating premorbid intellectual ability in closed head injury, **474**
celiac disease, Idiopathic cerebellar ataxia associated with celiac disease: lack of distinctive neurological features, **32**
central motor conduction velocity, Central visual, acoustic, and motor pathway involvement in a Charcot-Marie-Tooth family with an Asn205Ser mutation in the connexin 32 gene, **202**
central oscillator, Evidence for a non-orthostatic origin of orthostatic tremor, **284**
cerebellar infarction, Multiple large and small cerebellar infarcts, **739**
cerebellopontine angle, Clinical features and outcomes in patients with non-acoustic cerebellopontine angle tumours, **768**
cerebral amyloid angiopathy, Recurrent cerebral haemorrhage in a 65 year old man: advanced clinical neurology course, Edinburgh, 1997, **104**
cerebral autoregulation, Critical closing pressure in cerebrovascular circulation, **606**
cerebral blood flow, Higher cerebral function and hemispheric blood flow during awake carotid artery balloon test occlusions, **734**
cerebral haemorrhage, Recurrent cerebral haemorrhage in a 65 year old man: advanced clinical neurology course, Edinburgh, 1997, **104**
cerebral infarction, Cerebral infarction: a rare complication of wasp sting: *letter,* **550**
cerebral ischaemia, Cumulative meta-analysis of aspirin efficacy after cerebral ischaemia of arterial origin: *letter,* **255**
Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone?: *editorial,* **557**
cerebral mucormycosis, Cerebral mucormycosis, **404**
cerebral thrombosis, Neoplastic cerebral aneurysm from metastatic lung adenocarcinoma associated with cerebral thrombosis and recurrent subarachnoid haemorrhage, **246**
cerebrospinal fluid, Cerebrospinal fluid manganese concentrations in patients with symmetric pallidal hyperintensities on T1 weighted MRI: *letter,* **551**
cerebrospinal fluid flow, Increased cerebrospinal fluid flow through the foramen of Magendie after decompression for Chiari I malformation, **799**
cerebrovascular disease, Global aphasia without hemiparesis: language profiles and lesion distribution, **365**
cervical spondylotic myelopathy, Cervical spondylotic myelopathy in elderly people: a high incidence of conduction block at C3–4 or C4–5, **456**
Charcot-Marie-Tooth disease, Autosomal recessive Charcot-Marie-Tooth disease: *commentary,* **560**
Axonal phenotype of Charcot-Marie-Tooth disease associated with a mutation in the myelin protein zero gene, **779**
Study on the gene and phenotypic characterisation of autosomal recessive demyelinating motor and sensory neuropathy (Charcot-Marie-Tooth disease) with a gene locus on chromosome 5q23-q33, **569**
Chiari I malformation, Increased cerebrospinal fluid flow through the foramen of Magendie after decompression for Chiari I malformation, **799**
childhood demyelinating diseases, Childhood demyelinating diseases with a prolonged remitting course and their relation to Schilder's disease: report of two cases: *letter,* **407**
children, Early diagnosis of subependymal giant cell astrocytoma in children with tuberous sclerosis, **370**
cholinesterase inhibitors, The cholinergic hypothesis of Alzheimer's disease: a review of progress: *review,* **137**
chorea, Intracortical inhibition of the motor cortex is normal in chorea, **783**
chromosome 5, Study on the gene and phenotypic characterisation of autosomal recessive demyelinating motor and sensory neuropathy (Charcot-Marie-Tooth disease) with a gene locus on chromosome 5q23-q33, **569**
chronic inflammatory demyelinating polyneuropathy, Axonal and perikaryal involvement in chronic inflammatory demyelinating polyneuropathy, **727**
chronic inflammatory demyelinating polyradiculoneuropathy, Chronic inflammatory demyelinating polyradiculoneuropathy: a prevalence study in south east England, **677**
chronic motor neuropathy, Chronic motor neuropathies: response to interferon-β1a after failure of conventional therapies, **197**
click evoked myogenic potentials, Click evoked myogenic potentials in the differential diagnosis of acute vertigo, **787**
clinical audit, Predicting survival using simple clinical variables: a case study in traumatic brain injury, **20**
clinical audit;, organisation of care, Opportunities for improving the quality of care in malignant cerebral glioma: *letter,* **693**
closed head injury, Parkinson's syndrome after closed head injury: a single case report, **380**
cluster headache attack, Cluster headache-like attack as an opening symptom of a unilateral infarction of the cervical cord: persistent anaesthesia and dysaesthesia to cold stimuli, **397**
CMT1X, Central visual, acoustic, and motor pathway involvement in a Charcot-Marie-Tooth family with an Asn205Ser mutation in the connexin 32 gene, **202**
cognition, Executive function in depression: the role of performance strategies in aiding depressed and non-depressed participants, **162**
cognitive, Evaluating methods for estimating premorbid intellectual ability in closed head injury, **474**
coma, Coma in thrombotic thrombocytopenic purpura: *letter,* **689**
Predicting deterioration in patients with lobar haemorrhages, **600**
complex partial status epilepticus, Creutzfeldt-Jakob disease presenting as complex partial status epilepticus: a report of two cases: *letter,* **406**
complication, Abundance of left hemispheric embolic strokes complicating coronary angiography and PTCA: *letter,* **116**
conduction block, Cervical spondylotic myelopathy in elderly people: a high incidence of conduction block at C3–4 or C4–5, **456**
Motor root conduction in neuralgic amyotrophy: evidence of proximal conduction block, **586**
connexin 32, Central visual, acoustic, and motor pathway involvement in a Charcot-Marie-Tooth family with an Asn205Ser mutation in the connexin 32 gene, **202**
connexin 32 mutation, Central nervous system involvement in a novel connexin 32 mutation affecting identical twins: *letter,* **803**
continuous medical education, Editorial: *editorial,* **1**
continuous muscle activity, Single motor unit activity pattern in patients with Schwartz-Jampel syndrome: *letter,* **252**
convulsions, Convulsions induced by donepezil: *letter,* **410**
coronary angiography, Abundance of left hemispheric embolic strokes complicating coronary angiography and PTCA: *letter,* **116**
cortical sclerosis, Cortical sclerosis presenting with dementia as a sequel of rapid correction of hyponatraemia, **685**
corticobulbar tract, Isolated dysarthria due to extracerebellar lacunar stroke: a central monoparesis of the tongue, **495**

corticosubcortical circuitry, Saccadic performance characteristics and the behavioural neurology of Tourette's syndrome, **305**
Creutzfeldt-Jakob disease, Creutzfeldt-Jakob disease presenting as complex partial status epilepticus: a report of two cases: *letter,* **406**
Creutzfeldt-Jakob-like syndrome induced by lithium, levomepromazine, and phenobarbitone: *letter,* **802**
Hashimoto's encephalitis as a differential diagnosis of Creutzfeldt-Jakob disease, **172**
Progressive aphasia with rapidly progressive dementia in a 49 year old woman, **238**
Protease resistant prion proteins are not present in sporadic "poor outcome" schizophrenia, **90**
critical closing pressure, Critical closing pressure in cerebrovascular circulation, **606**
CT, Predicting deterioration in patients with lobar haemorrhages, **600**
cytokines, Guillain-Barré syndrome after heat stroke: *letter,* **408**
cytomegalovirus, Antiganglioside antibodies in Guillain-Barré syndrome after a recent cytomegalovirus infection, **376**

3-D MRI, Three dimensional MRI estimates of brain and spinal cord atrophy in multiple sclerosis, **323**
dementia, Are sex and educational level independent predictors of dementia and Alzheimer's disease? Incidence data from the PAQUID project, **177**
EEG findings in dementia with Lewy bodies and Alzheimer's disease, **401**
Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS: *correspondence,* **554**
depression, Affective symptoms in multiple system atrophy and Parkinson's disease: response to levodopa therapy, **541**
Executive function in depression: the role of performance strategies in aiding depressed and non-depressed participants, **162**
Prevention of poststroke depression: 1 year randomised placebo controlled double blind trial of mianserin with 6 month follow up after therapy, **490**
desynchronisation, Impairment of EEG desynchronisation before and during movement and its relation to bradykinesia in Parkinson's disease, **442**
Déjérine-Sottas syndrome, Novel mutation of the P0 extracellular domain causes a Déjérine-Sottas syndrome, **386**
diabetes, Gabapentin in the treatment of painful diabetic neuropathy: a placebo controlled, double blind, crossover trial: *letter,* **251**
diabetic neuropathy, Gabapentin in the treatment of painful diabetic neuropathy: a placebo controlled, double blind, crossover trial: *letter,* **251**
diabetic truncal radiculoneuropathy, Abdominal pseudohernia caused by diabetic truncal radiculoneuropathy, **405**
diaphragmatic disfunction, Respiratory aspects of neurological disease: *review,* **5**
diencephalon, Neuropsychological correlates of a right unilateral lacunar thalamic infarction, **36**
Diffusion weighted imaging, Diffusion weighted MRI demonstrates abnormal pyramidal tract in hemiparesis, **797**
disability, Utilisation and costs of profession care and assistance according to disability of patients with multiple sclerosis in Flanders (Belgium): *correspondence,* **256**
disseminated cystercosis, Disseminated cysticercosis, **545**
donepezil, Convulsions induced by donepezil: *letter,* **410**
dopamine, Ocular microtremor in patients with idiopathic Parkinson's disease, **528**
dopamine agonists, Developmental stuttering and Parkinson's disease: the effects of levodopa treatment, **776**
Efficacy, safety, and tolerance of the non-ergoline dopamine agonist pramipexole in the treatment of advanced Parkinson's disease: a double blind, placebo controlled, randomised, multicentre study, **436**
Doppler imaging, Detecting carotid stenoses: *commentary,* **4**
Doppler ultrasound, Can simple clinical features be used to identify patients with severe carotid stenosis on Doppler ultrasound?, **16**
dual task, Concurrent performance of motor tasks and processing capacity in patients with schizophrenia, **668**
duration, Differences in duration of Huntington's disease based on age at onset, **52**
dysaesthesia, Cluster headache-like attack as an opening symptom of a unilateral infarction of the cervical cord: persistent anaesthesia and dysaesthesia to cold stimuli, **397**
dysarthria, Isolated dysarthria due to extracerebellar lacunar stroke: a central monoparesis of the tongue, **495**
dysexecutive, Neuropsychological correlates of a right unilateral lacunar thalamic infarction, **36**
dyslexia, Unidirectional dyslexia in a polyglot, **517**
dystonia, Comparison of mouse bioassay and immunoprecipitation assay for botulinum toxin antibodies, **612**
GTP cyclohydrolase deficiency; intrafamilial variation in clinical phenotype, including levodopa responsiveness, **86**

education, Are sex and educational level independent predictors of dementia and Alzheimer's disease? Incidence data from the PAQUID project, **177**
EEG spike foci, Extraoccipital benign childhood partial seizures with ictal vomiting and excellent prognosis, **82**
elderly people, Cervical spondylotic myelopathy in elderly people: a high incidence of conduction block at C3–4 or C4–5, **456**
electroencephalography, EEG findings in dementia with Lewy bodies and Alzheimer's disease, **401**
electro-oculography, Pontine lesions mimicking acute peripheral vestibulopathy, **340**
electrophysiology, The use of electrophysiological monitoring in the intraoperative management of intracranial aneurysms, **189**
elementary visual hallucinations, Elementary visual hallucinations, blindness, and headache in idiopathic occipital epilepsy: differentiation from migraine, **536**
emergency room, Predicting deterioration in patients with lobar haemorrhages, **600**
encephalopathy, Hashimoto's encephalitis as a differential diagnosis of Creutzfeldt-Jakob disease, **172**
encoding, Episodic memory in transient global amnesia: encoding, storage, or retrieval deficit?, **148**
endarterectomy, Can simple clinical features be used to identify patients with severe carotid stenosis on Doppler ultrasound?, **16**
epidemiology, Mortality in patients with epilepsy: 40 years of follow up in a Dutch cohort study, **636**
Multiple large and small cerebellar infarcts, **739**
epilepsy, Mortality in patients with epilepsy: 40 years of follow up in a Dutch cohort study, **636**
Normal magnetic resonance imaging and epilepsy surgery: *commentary,* **3**
Presurgical evaluation of patients with epilepsy and normal MRI: role of scalp video-EEG telemetry, **69**
Topiramate in clinical practice: first year's postlicensing experience in a specialist epilepsy clinic, **759**
epilepsy surgery, Prognostic factors in presurgical assessment of frontal lobe epilepsy, **350**
episodic memory, Episodic memory in transient global amnesia: encoding, storage, or retrieval deficit?, **148**
Episodic memory in transient global amnesia: *commentary,* **135**
epitope, Pattern of epitopic reactivity of the anti-Hu antibody on HuD with and without paraneoplastic syndrome, **97**
Erdheim-Chester disease, Neurological manifestations of Erdheim-Chester disease, **72**
ergot, Pericardial, retroperitoneal, and pleural fibrosis induced by pergolide, **79**
essential tremor, Evidence for a non-orthostatic origin of orthostatic tremor, **284**
Multicentre European study of thalamic stimulation in parkinsonian and essential tremor, **289**
Stereotactic thalamotomy in the treatment of essential tremor of the upper extremity: reassessment including a blinded measure of outcome, **772**
evoked potentials, The use of electrophysiological monitoring in the intraoperative management of intracranial aneurysms, **189**
executive function, Executive function in depression: the role of performance strategies in aiding depressed and non-depressed participants, **162**
extrapyramidal manifestation, Transient severe parkinsonism after acute organophosphate poisoning: *letter,* **253**
extratympanic intrameatal electrode, Intraoperative monitoring during surgery for acoustic neuroma: benefits of an extratympanic intrameatal electrode, **591**

facial diplegia, Facial diplegia with paraesthesias: facial nerve enhancement in three dimensional MRI: *letter,* **688**
falls, EMG responses to free fall in elderly subjects and akinetic rigid patients, **447**
fibrates, Severe toxic neuropathy due to fibrates: *letter,* **410**
finger tapping, Concurrent performance of motor tasks and processing capacity in patients with schizophrenia, **668**
first-episode schizophrenia, Spontaneous dyskinesia in first episode schizophrenia, **76**
fludarabine, Successful treatment of IgM paraproteinaemic neuropathy with fludarabine, **575**
flunarizine, Alternating hemiplegia of childhood or Hashimoto's encephalopathy?: *letter,* **548**
focal seizure, Complex partial seizures provoked by photic stimulation: *letter,* **801**
foramen of Magendie, Increased cerebrospinal fluid flow through the foramen of Magendie after decompression for Chiari I malformation, **799**
Friedreich's ataxia, Molecular genetic diagnosis of Friedreich's ataxia in a pedigree with apparent autosomal dominant spinocerebellar degeneration: *letter,* **117**
Relation between trinucleotide GAA repeat length and sensory neuropathy in Friedreich's ataxia, **93**
frontal lobe epilepsy, Prognostic factors in presurgical assessment of frontal lobe epilepsy, **350**
frontotemporal dementia, Evaluation of the NINCDS-ADRDA criteria in the differentiation of Alzheimer's disease and frontotemporal dementia, **184**
Functional Independence Measure, Measuring change in disability after inpatient rehabilitation: comparison of the responsiveness of the Barthel Index and the Functional Independence Measure, **480**

GAA expansion, *Relation between trinucleotide GAA repeat length and sensory neuropathy in Friedreich's ataxia,* **93**
gabapentin, Gabapentin in the treatment of painful diabetic neuropathy: a placebo controlled, double blind, crossover trial: *letter,* **251**
ganglioside GM2, Antiganglioside antibodies in Guillain-Barré syndrome after a recent cytomegalovirus infection, **376**
gastrointestinal system, Neurology and the gastrointestinal system: *letter,* **695**
gastro-oesophagal reflux disease, Sandifer's syndrome and gastro-oesophageal reflux disease: *correspondence,* **805**
germinoma with syncytiotrophoblastic giant cells, Human chorionic gonadotrophin in CSF, not serum, predicts outcome in germinoma, **654**
globus pallidus, *Cerebrospinal fluid manganese concentrations in patients with symmetric pallidal hyperintensities on T1 weighted MRI: letter,* **551**
GTP cyclohydrolase, GTP cyclohydrolase deficiency; intrafamilial variation in clinical phenotype, including levodopa responsiveness, **86**
guidelines, Opportunities for improving the quality of care in malignant cerebral glioma: *letter,* **693**
Guillain-Barré symptom, Respiratory aspects of neurological disease: *review,* **5**
Guillain-Barré syndrome, Antiganglioside antibodies in Guillain-Barré syndrome after a recent cytomegalovirus infection, **376**
Antiganglioside antibody in patients with Guillain-Barré syndrome who show bulbar palsy as an initial symptom, **513**
Facial diplegia with paraesthesias: facial nerve enhancement in three dimensional MRI: *letter,* **688**
Infections and the Guillain-Barré syndrome: *commentary,* **277**
Oropharyngeal palsy in Guillain-Barré and Fisher's syndromes is associated with muscle weakness in the neck and arm: *letter,* **254**

haemorrhage, Supratentorial cavernous haemangiomas and epilepsy: a review of the literature and case series: *review,* **561**
HAM/TSP, Cerebrospinal fluid concentrations of soluble CD27 in HTLV-I associated myelopathy and multiple sclerosis, **791**
Harlequin syndrome, Harlequin syndrome, **544**
Hashimoto's encephalitis, Hashimoto's encephalitis as a differential diagnosis of Creutzfeldt-Jakob disease, **172**
Hashimoto's encephalopathy, Alternating hemiplegia of childhood or Hashimoto's encephalopathy?: *letter,* **548**
Hashimoto's thyroiditis, Hashimoto's encephalitis as a differential diagnosis of Creutzfeldt-Jakob disease, **172**
head injury, Critical closing pressure in cerebrovascular circulation, **606**
One year outcome in mild to moderate head injury: the predictive value of acute injury characteristics related to complaints and return to work, **207**
Significance of vomiting after head injury, **470**
head trauma, Post-traumatic meningioma: case report and historical perspective, **796**
headache, A triptan too far?: *correspondence,* **121**
Pain after whiplash: a prospective controlled inception cohort study, **279**
health outcome measures, Health outcome measures: *commentary,* **416**
healthcare costs, Utilisation and costs of profession care and assistance according to disability of patients with multiple sclerosis in Flanders (Belgium): *correspondence,* **256**
hearing preservation, Intraoperative monitoring during surgery for acoustic neuroma: benefits of an extratympanic intrameatal electrode, **591**
heat stroke, Guillain-Barré syndrome after heat stroke: *letter,* **408**
hemianopia, Line bisection in hemianopia: *correspondence,* **122**
hemicord infarction, Cluster headache-like attack as an opening symptom of a unilateral infarction of the cervical cord: persistent anaesthesia and dysaesthesia to cold stimuli, **397**
hemifacial spasm, Hemifacial spasm: *correspondence,* **255**
hemiparesis, Activation of selected trunk muscles during symmetric functional activities in poststroke hemiparetic and hemiplegic patients, **218**
Diffusion weighted MRI demonstrates abnormal pyramidal tract in hemiparesis, **797**
Global aphasia without hemiparesis: language profiles and lesion distribution, **365**
hemiplegia, Activation of selected trunk muscles during symmetric functional activities in poststroke hemiparetic and hemiplegic patients, **218**
hereditary demyelinating neuropathy, Study on the gene and phenotypic characterisation of autosomal recessive demyelinating motor and sensory neuropathy (Charcot-Marie-Tooth disease) with a gene locus on chromosome 5q23-q33, **569**
histiocytosis, Neurological manifestations of Erdheim-Chester disease, **72**
Horner's syndrome, Bilateral Horner's syndrome: detection and occurrence, **48**
HuD, Pattern of epitopic reactivity of the anti-Hu antibody on HuD with and without paraneoplastic syndrome, **97**
human chorionic gonadotrophin, Human chorionic gonadotrophin in CSF, not serum, predicts outcome in germinoma, **654**
Huntington's disease, Differences in duration of Huntington's disease based on age at onset, **52**
hydrocephalus, Hydrodynamic performance of a new siphon preventing device: the SiphonGuard: *letter,* **408**
hydrocephalus shunt, Hydrodynamic performance of a new siphon preventing device: the SiphonGuard: *letter,* **408**
hypersensitivity reaction, Carbamazepine hypersensitivity syndrome presenting as vasculitis of the CNS: *letter,* **249**
hypokinesia, Progressive bradykinesia and hypokinesia of ocular pursuit in Parkinson's disease, **746**
hyponatraemia, Cortical sclerosis presenting with dementia as a sequel of rapid correction of hyponatraemia, **685**

ictal blindness, Elementary visual hallucinations, blindness, and headache in idiopathic occipital epilepsy: differentiation from migraine, **536**
Ictal SPECT, Comparative study of ^{99m}Tc-ECD and ^{99m}Tc-HMPAO for peri-ictal SPECT: qualitative and quantitative analysis, **331**
idiopathic Parkinson's disease, Levodopa may improve orthostatic tremor: case report and trial of treatment, **681**
imaging, Mechanisms of recovery from aphasia: evidence from positron emission tomography studies, **155**
immunoresistance, Comparison of mouse bioassay and immunoprecipitation assay for botulinum toxin antibodies, **612**
incidence, Are sex and educational level independent predictors of dementia and Alzheimer's disease? Incidence data from the PAQUID project, **177**
infections, Infections and the Guillain-Barré syndrome: *commentary,* **277**
interferon-β, Chronic motor neuropathies: response to interferon-β1a after failure of conventional therapies, **197**
interferon-β-1b, Anaphylactoid reaction to methyl prednisolone developing after starting treatment with interferon β-1b: *letter,* **690**
intracerebral haemorrhage, Intracerebral haemorrhage due to possible venous obstruction in the neck: *letter,* **118**
Predicting deterioration in patients with lobar haemorrhages, **600**
intracortical inhibition, Intracortical inhibition of the motor cortex is normal in chorea, **783**
intracranial aneurysm, Lyme borreliosis and intracranial aneurysm: *correspondence,* **806**
One stage endovascular treatment of multiple intracranial aneurysms, **112**
intracranial germinoma, Human chorionic gonadotrophin in CSF, not serum, predicts outcome in germinoma, **654**
intracranial haematoma, Unidirectional dyslexia in a polyglot, **517**
intracranial lesions, Cavernomas in the central nervous system and the relevance of multiple intracranial lesions in the familial form of this disease: *letter,* **117**
intralaminar dural haematoma, Intralaminar dural haematoma developing in the contralateral convexity after temporal lobectomy: *letter,* **248**
intraoperative monitoring, Intraoperative monitoring during surgery for acoustic neuroma: benefits of an extratympanic intrameatal electrode, **591**
Intrathecal baclofen infusion, Continuous intrathecal baclofen infusion alleviates autonomic dysfunction in patients with severe supraspinal spasticity: *letter,* **114**
ischaemia, Isolated ischaemia of the spinal cord due to bilateral vertebral artery dissection: *letter,* **804**

lacunar stroke, Isolated dysarthria due to extracerebellar lacunar stroke: a central monoparesis of the tongue, **495**
Lafora's disease, A new case of late onset Lafora's disease without generalised seizures: *letter,* **114**
language, Conduction aphasia elicited by stimulation of the left posterior superior temporal gyrus, **393**
lateralisation, Effects of stimulant medication on the lateralisation of line bisection judgements of children with attention deficit hyperactivity disorder, **57**
left superior parietal lobule, Pure apraxic agraphia with abnormal writing stroke sequences: report of a Japanese patient with a left superior parietal haemorrhage, **233**
leptomeningeal metastasis, Leptomeningeal metastasis after surgical resection of brain metastases, **225**
levodopa, GTP cyclohydrolase deficiency; intrafamilial variation in clinical phenotype, including levodopa responsiveness, **86**
Levodopa may improve orthostatic tremor: case report and trial of treatment, **681**
levodopa induced dyskinesias, Subthalamic nucleus stimulation improves directly levodopa induced dyskinesias in Parkinson's disease: *letter,* **549**
Lewy body, EEG findings in dementia with Lewy bodies and Alzheimer's disease, **401**
line bisection, Line bisection in hemianopia: *correspondence,* **122**
lithium, Creutzfeldt-Jakob-like syndrome induced by lithium, levomepromazine, and phenobarbitone: *letter,* **802**
low grade astrocytoma, Effect of radiotherapy on brain glucose metabolism in patients operated on for low grade astrocytoma, **648**

Operated low grade astrocytomas: a long term PET study on the effect of radiotherapy, **644**
Lyme borreliosis, Lyme borreliosis and intracranial aneurysm: *correspondence,* **806**
Lyme disease, Lyme borreliosis and intracranial aneurysm: *correspondence,* **806**
lymphoma, Primary central nervous system lymphoma: *editorial,* **699**

Mac or Mc prefix, Macs with multiple sclerosis: *correspondence,* **410**
Mac prefix, High incidence and prevalence of multiple sclerosis in south east Scotland: evidence of a genetic predisposition: *correspondence,* **411**
Machado-Joseph disease, Age related axonal neuropathy in spinocerebellar ataxia type 3/Machado-Joseph disease (SCA3/MJD), **222**
magnetic evoked potentials, Isolated dysarthria due to extracerebellar lacunar stroke: a central monoparesis of the tongue, **495**
magnetic resonance imaging, Cerebrospinal fluid manganese concentrations in patients with symmetric pallidal hyperintensities on T1 weighted MRI: *letter,* **551**
Clinical usefulness of MRI in multisystem atrophy: *letter,* **694**
Decreased plasma tryptophan associated with deep white matter lesions in elderly subjects, **100**
Evaluation by magnetic resonance imaging of the entrapped temporal horn syndrome , **113**
MRI in vertebral artery dissection: *letter,* **693**
Multiple large and small cerebellar infarcts, **739**
Normal magnetic resonance imaging and epilepsy surgery: *commentary,* **3**
Presurgical evaluation of patients with epilepsy and normal MRI: role of scalp video-EEG telemetry, **69**
Sarcoid tumour: continuing diagnostic problems in the MRI era, **510**
Statistical power of MRI monitored trials in multiple sclerosis: new data and comparison with previous results, **465**
Supratentorial cavernous haemangiomas and epilepsy: a review of the literature and case series: *review,* **561**
Vasculitic polyradiculopathy in systemic lupus erythematosus, **658**
Volumetric magnetic resonance imaging study of the brain in subjects with sex chromosome aneuploidies, **628**
magnetic resonance spectroscopy, Contribution of in vivo ^{1}H spectroscopy to the diagnosis of deep-seated brain abscess: *letter,* **120**
In vivo cerebral proton MRS in a case of subacute sclerosing panencephalitis: *letter,* **547**
magnetic stimulation, Intracortical inhibition of the motor cortex is normal in chorea, **783**
malignant glioma, Opportunities for improving the quality of care in malignant cerebral glioma: *letter,* **693**
manganese, Cerebrospinal fluid manganese concentrations in patients with symmetric pallidal hyperintensities on T1 weighted MRI: *letter,* **551**
masseter reflex, Pontine lesions mimicking acute peripheral vestibulopathy, **340**
meningioma, Clinical features and outcomes in patients with non-acoustic cerebellopontine angle tumours, **768**
Post-traumatic meningioma: case report and historical perspective, **796**
meta-analysis, Case-control study of presenilin-1 intronic polymorphism in sporadic early and late onset Alzheimer's disease, **722**
metastatic lung adenocarcinoma, Neoplastic cerebral aneurysm from metastatic lung adenocarcinoma associated with cerebral thrombosis and recurrent subarachnoid haemorrhage, **246**
methyl prednisolone, Anaphylactoid reaction to methyl prednisolone developing after starting treatment with interferon β-1b: *letter,* **690**
microelectrode recording, Stereotactic thalamotomy in the treatment of essential tremor of the upper extremity: reassessment including a blinded measure of outcome, **772**
migraine, A triptan too far?: *correspondence,* **121**
migraine aura, Elementary visual hallucinations, blindness, and headache in idiopathic occipital epilepsy: differentiation from migraine, **536**
morbidity, Chronic inflammatory demyelinating polyradiculoneuropathy: a prevalence study in south east England, **677**
mortality, Mortality in patients with epilepsy: 40 years of follow up in a Dutch cohort study, **636**
Sudden unexpected death: a rare event in a large community based prospective cohort with newly diagnosed epilepsy and high remission rates: *letter,* **692**
motor cortex, Intracortical inhibition of the motor cortex is normal in chorea, **783**
motor deficits, Neurological complications of anterior spinal surgery for kyphosis with normal somatosensory evoked potentials (SEPs), **662**
motor neuron disease, Atypical form of amyotrophic lateral sclerosis, **581**
motor preparation, Impairment of willed actions and use of advance information for movement preparation in schizophrenia, **502**
motor unit action potential, Single motor unit activity pattern in patients with Schwartz-Jampel syndrome: *letter,* **252**
moyamoya disease, Moyamoya disease presenting as Valsalva related partial seizures , **111**
multiple regression analysis, Influence of clinical and demographic variables on quality of life in patients with Parkinson's disease, **431**
Multiple sclerosis, A dubious therapy for patients with multiple sclerosis: *letter,* **695**
Cerebrospinal fluid concentrations of soluble CD27 in HTLV-I associated myelopathy and multiple sclerosis, **791**
Distal versus proximal arm tremor in multiple sclerosis assessed by visually guided tracking tasks, **43**
High incidence and prevalence of multiple sclerosis in south east Scotland: evidence of a genetic predisposition: *correspondence,* **411**
Macs with multiple sclerosis: *correspondence,* **410**
"Summary measure" statistic for assessing the outcome of treatment trials in relapsing-remitting multiple sclerosis: *correspondence,* **553**
Restless legs syndrome associated with spinal cord lesions: *letter,* **688**
Statistical power of MRI monitored trials in multiple sclerosis: new data and comparison with previous results, **465**
Three dimensional MRI estimates of brain and spinal cord atrophy in multiple sclerosis, **323**
Tremor in multiple sclerosis: *editorial,* **131**
Utilisation and costs of profession care and assistance according to disability of patients with multiple sclerosis in Flanders (Belgium): *correspondence,* **256**
multiple spinal epidural metastases, Recurrent spinal epidural metastases: a prospective study with a complete follow up, **623**
multiple system atrophy, Clinical usefulness of MRI in multisystem atrophy: *letter,* **694**
multiplets, Single motor unit activity pattern in patients with Schwartz-Jampel syndrome: *letter,* **252**
mutation, Probability of bilateral disease in people presenting with a unilateral vestibular schwannoma, **764**
myelin, Novel mutation of the P0 extracellular domain causes a Déjérine-Sottas syndrome, **386**
myelin protein zero, Axonal phenotype of Charcot-Marie-Tooth disease associated with a mutation in the myelin protein zero gene, **779**
myelopathy, Restless legs syndrome associated with spinal cord lesions: *letter,* **688**
myoclonus, Myoclonus of peripheral origin: *correspondence,* **123**

NART, Evaluating methods for estimating premorbid intellectual ability in closed head injury, **474**
neck pain, Pain after whiplash: a prospective controlled inception cohort study, **279**
neglect, Unidirectional dyslexia in a polyglot, **517**
neoplastic cerebral aneurysm, Neoplastic cerebral aneurysm from metastatic lung adenocarcinoma associated with cerebral thrombosis and recurrent subarachnoid haemorrhage, **246**
nerve growth factor, Decreased CGRP, but preserved Trk A immunoreactivity in nerve fibres in inflamed human superficial temporal arteries, **390**
neuralgic amyotrophy, Motor root conduction in neuralgic amyotrophy: evidence of proximal conduction block, **586**
neurocutaneous disorder, Neurology and the skin: *review,* **417**
neurofibromatosis, Neurology and the skin: *review,* **417**
neurofibromatosis type 2, Probability of bilateral disease in people presenting with a unilateral vestibular schwannoma, **764**
neuroimaging, Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome, **485**
neurological stamp, Theodore Schwann (1810-82), **103**
Multiple sclerosis, **237**
Theodor Meynert (1833–92), **330**
Adam Politzer (1835-1920), **535**
Alexander Onufrievich Kovalevsky (1040–1901), **680**
Stjepan Betlheim (1898–1970), **733**
neurolomuscular disfunction, Respiratory aspects of neurological disease: *review,* **5**
neuropathy, Gabapentin in the treatment of painful diabetic neuropathy: a placebo controlled, double blind, crossover trial: *letter,* **251**
Poststreptococcal neuropathy: *letter,* **690**
Severe toxic neuropathy due to fibrates: *letter,* **410**
neuropsychological testing, Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome, **485**
neuropsychology, Cognitive outcome after unilateral pallidal stimulation in Parkinson's disease, **297**
Neuropsychological correlates of a right unilateral lacunar thalamic infarction, **36**
NGPSE, Sudden unexpected death: a rare event in a large community based prospective cohort with newly diagnosed epilepsy and high remission rates: *letter,* **692**
NINCDS-ADRDA criteria, Evaluation of the NINCDS-ADRDA criteria in the differentiation of Alzheimer's disease and frontotemporal dementia, **184**
non-Hodgkin's lymphoma, Primary central nervous system lymphoma: *editorial,* **699**
nucleus intercalculus, The role of the nucleus intercalatus in vertical gaze holding: *correspondence,* **552**

obituary, C David Marsden 1938–98, **2**
occipital lobe tuberculoma, Visual hallucinations and palinopsia due to an occipital lobe tuberculoma, **684**
occipital seizures, Elementary visual hallucinations, blindness, and headache in idiopathic occipital epilepsy: differentiation from migraine, **536**
ocular pursuit, Progressive bradykinesia and hypokinesia of ocular pursuit in Parkinson's disease, **746**
oculomicrotremor, Ocular microtremor in patients with idiopathic Parkinson's disease, **528**
organophosphate poisoning, Transient severe parkinsonism after acute organophosphate poisoning: *letter,* **253**
orofacial movements, Spontaneous dyskinesia in first episode schizophrenia, **76**
orthostatic hypotension, Autonomic dysfunction and orthostatic hypotention caused by vitamin B12 deficiency: *letter,* **804**
orthostatic tremor, Evidence for a non-orthostatic origin of orthostatic tremor, **284**
Levodopa may improve orthostatic tremor: case report and trial of treatment, **681**
Orthostatic tremor: *commentary,* **278**
osteogenesis imperfecta, Basilar impression complicating osteogenesis imperfecta type IV: the clinical and neuroradiological findings in four cases, **357**
osteoporosis, Amelioration of osteopenia and hypovitaminosis D by 1α-hydroxyvitamin D3 in elderly patients with Parkinson's disease, **64**
outcome, One year outcome in mild to moderate head injury: the predictive value of acute injury characteristics related to complaints and return to work, **207**
Predicting deterioration in patients with lobar haemorrhages, **600**
overdrainage, Hydrodynamic performance of a new siphon preventing device: the SiphonGuard: *letter,* **408**

pain, Gabapentin in the treatment of painful diabetic neuropathy: a placebo controlled, double blind, crossover trial: *letter,* **251**
palinopsia, Visual hallucinations and palinopsia due to an occipital lobe tuberculoma, **684**
pallidal stimulation, Cognitive outcome after unilateral pallidal stimulation in Parkinson's disease, **297**
pallidotomy, Cognitive outcome after unilateral pallidal stimulation in Parkinson's disease, **297**
paradoxical emboli, Cortical sclerosis presenting with dementia as a sequel of rapid correction of hyponatraemia, **685**
paraneoplastic, Anti-amphiphysin I antibodies in patients with paraneoplastic neurological disorders associated with small cell lung carcinoma, **214**
paraneoplastic syndrome, Pattern of epitopic reactivity of the anti-Hu antibody on HuD with and without paraneoplastic syndrome, **97**
paraproteins, Successful treatment of IgM paraproteinaemic neuropathy with fludarabine, **575**
parkinsonian syndrome, Whipple's disease mimicking progressive supranuclear palsy: the diagnostic value of eye movement recording, **532**
parkinsonism, Affective symptoms in multiple system atrophy and Parkinson's disease: response to levodopa therapy, **541**
Parkinson's syndrome after closed head injury: a single case report, **380**
Transient severe parkinsonism after acute organophosphate poisoning: *letter,* **253**
Parkinson's disease, Amelioration of osteopenia and hypovitaminosis D by 1α-hydroxyvitamin D3 in elderly patients with Parkinson's disease, **64**
Cognitive outcome after unilateral pallidal stimulation in Parkinson's disease, **297**
Developmental stuttering and Parkinson's disease: the effects of levodopa treatment, **776**
Efficacy, safety, and tolerance of the non-ergoline dopamine agonist pramipexole in the treatment of advanced Parkinson's disease: a double blind, placebo controlled, randomised, multicentre study, **436**
Impairment of EEG desynchronisation before and during movement and its relation to bradykinesia in Parkinson's disease, **442**
Influence of clinical and demographic variables on quality of life in patients with Parkinson's disease, **431**
Measuring the rate of progression and estimating the preclinical period of Parkinson's disease with [^{18}F] dopa PET: *correspondence,* **256**
Multicentre European study of thalamic stimulation in parkinsonian and essential tremor, **289**
Ocular microtremor in patients with idiopathic Parkinson's disease, **528**
Pericardial, retroperitoneal, and pleural fibrosis induced by pergolide, **79**
Progressive bradykinesia and hypokinesia of ocular pursuit in Parkinson's disease, **746**
Statistical parametric mapping with ^{18}F-dopa PET shows bilaterally reduced striatal and nigral dopaminergic function in early Parkinson's disease, **754**
Subthalamic nucleus stimulation improves directly levodopa induced dyskinesias in Parkinson's disease: *letter,* **549**
perception, Subjective perception of body sway, **313**
performance strategy, Executive function in depression: the role of performance strategies in aiding depressed and non-depressed participants, **162**
pergolide, Pericardial, retroperitoneal, and pleural fibrosis induced by pergolide, **79**
peripheral nervous system diseases, Successful treatment of IgM paraproteinaemic neuropathy with fludarabine, **575**
peripheral neuropathy, Central visual, acoustic, and motor pathway involvement in a Charcot-Marie-Tooth family with an Asn205Ser mutation in the connexin 32 gene, **202**
Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS: *correspondence,* **554**
PET, Measuring the rate of progression and estimating the preclinical period of Parkinson's disease with [^{18}F] dopa PET: *correspondence,* **256**
Mechanisms of recovery from aphasia: evidence from positron emission tomography studies, **155**
phantom, Non-painful sensory phenomena after spinal cord injury, **617**
pharyngeal-cervical-brachial variant, Oropharyngeal palsy in Guillain-Barré and Fisher's syndromes is associated with muscle weakness in the neck and arm: *letter,* **254**
phenotype gene expression, GTP cyclohydrolase deficiency; intrafamilial variation in clinical phenotype, including levodopa responsiveness, **86**
photic stimulation, Complex partial seizures provoked by photic stimulation: *letter,* **801**
photoconvulsive reaction, Complex partial seizures provoked by photic stimulation: *letter,* **801**
piezoelectric strain gauge, Ocular microtremor in patients with idiopathic Parkinson's disease, **528**
P_0, Novel mutation of the P0 extracellular domain causes a Déjérine-Sottas syndrome, **386**
pituitary apoplexy, Neurology of the pituitary gland, **703**
pituitary gland, Neurology of the pituitary gland, **703**
pituitary tumour, Neurology of the pituitary gland, **703**
polyradiculoneuritis, Guillain-Barré syndrome after heat stroke: *letter,* **408**
polyradiculopathy, Vasculitic polyradiculopathy in systemic lupus erythematosus, **658**
positron emission tomography, Operated low grade astrocytomas: a long term PET study on the effect of radiotherapy, **644**
Statistical parametric mapping with ^{18}F-dopa PET shows bilaterally reduced striatal and nigral dopaminergic function in early Parkinson's disease, **754**
postictal headache, Elementary visual hallucinations, blindness, and headache in idiopathic occipital epilepsy: differentiation from migraine, **536**
postinfectious encephalomyelitis, Bilateral enhancing thalamic lesions in a 10 year old boy: case report, **633**
postoperative haematoma, Intralaminar dural haematoma developing in the contralateral convexity after temporal lobectomy: *letter,* **248**
post-traumatic amnesia, One year outcome in mild to moderate head injury: the predictive value of acute injury characteristics related to complaints and return to work, **207**
power calculations, Statistical power of MRI monitored trials in multiple sclerosis: new data and comparison with previous results, **465**
pramipexole, Efficacy, safety, and tolerance of the non-ergoline dopamine agonist pramipexole in the treatment of advanced Parkinson's disease: a double blind, placebo controlled, randomised, multicentre study, **436**
prediction, Progressive bradykinesia and hypokinesia of ocular pursuit in Parkinson's disease, **746**
premorbid, Evaluating methods for estimating premorbid intellectual ability in closed head injury, **474**
presenelin-1 intronic polymorphism, Case-control study of presenelin-1 intronic polymorphism: *commentary,* **702**
presenilin-1, Case-control study of presenilin-1 intronic polymorphism in sporadic early and late onset Alzheimer's disease, **722**
presurgical assessment, Prognostic factors in presurgical assessment of frontal lobe epilepsy, **350**
prevalence, Chronic inflammatory demyelinating polyradiculoneuropathy: a prevalence study in south east England, **677**
primary CNS lymphoma, Primary central nervous system lymphoma: *editorial,* **699**
prion protein, Protease resistant prion proteins are not present in sporadic "poor outcome" schizophrenia, **90**
Proceedings, Proceedings of the Association of British Neurologists, Royal College of Physicians, London, 9-11 September 1998 , **258**
Royal College of Physicians of Edinburgh consensus conference on medical management of stroke, 26 and 27 May 1998, **128**
processing resources, Concurrent performance of motor tasks and processing capacity in patients with schizophrenia, **668**
prognosis, Adding insult to injury: the prognostic value of early secondary insults for survival after traumatic brain injury, **26**

Extraoccipital benign childhood partial seizures with ictal vomiting and excellent prognosis, **82**
Predicting survival using simple clinical variables: a case study in traumatic brain injury, **20**
progressive aphasia, Progressive aphasia with rapidly progressive dementia in a 49 year old woman, **238**
progressive multifocal leukoencephalopathy, Proton magnetic resonance spectroscopy pattern of progressive multifocal leukoencephalopathy in AIDS, **520**
progressive supranuclear palsy, The *tau* gene A0 polymorphism in progressive supranuclear palsy and related neurodegenerative diseases, **665**
prostatic carcinoma, Prostatic carcinoma presenting as brain stem dysfunction, **546**
proton magnetic resonance, Proton magnetic resonance spectroscopy pattern of progressive multifocal leukoencephalopathy in AIDS, **520**
proximal stimulation, Motor root conduction in neuralgic amyotrophy: evidence of proximal conduction block, **586**
pupil, Bilateral Horner's syndrome: detection and occurrence, **48**
Purdue pegboard, Concurrent performance of motor tasks and processing capacity in patients with schizophrenia, **668**
pure apraxic agraphia, Pure apraxic agraphia with abnormal writing stroke sequences: report of a Japanese patient with a left superior parietal haemorrhage, **233**
pyramidal tract, Diffusion weighted MRI demonstrates abnormal pyramidal tract in hemiparesis, **797**

quality of life, Influence of clinical and demographic variables on quality of life in patients with Parkinson's disease, **431**

radiotherapy, Effect of radiotherapy on brain glucose metabolism in patients operated on for low grade astrocytoma, **648**
Operated low grade astrocytomas: a long term PET study on the effect of radiotherapy, **644**
Ramsay-Hunt syndrome, Sympathetic contralateral vestibulopathy after unilateral zoster oticus, **672**
reaction time, Impairment of willed actions and use of advance information for movement preparation in schizophrenia, **502**
recurrent spinal epidural metastases, Recurrent spinal epidural metastases: a prospective study with a complete follow up, **623**
recurrent subarachnoid haemorrhage, Neoplastic cerebral aneurysm from metastatic lung adenocarcinoma associated with cerebral thrombosis and recurrent subarachnoid haemorrhage, **246**
redilatation lag, Bilateral Horner's syndrome: detection and occurrence, **48**
rehabilitation, Activation of selected trunk muscles during symmetric functional activities in poststroke hemiparetic and hemiplegic patients, **218**
Global aphasia without hemiparesis: language profiles and lesion distribution, **365**
Measuring change in disability after inpatient rehabilitation: comparison of the responsiveness of the Barthel Index and the Functional Independence Measure, **480**
respiratory disease, Respiratory aspects of neurological disease: *review,* **5**
responsiveness, Measuring change in disability after inpatient rehabilitation: comparison of the responsiveness of the Barthel Index and the Functional Independence Measure, **480**
restless legs syndrome, Restless legs syndrome associated with spinal cord lesions: *letter,* **688**
retrieval, Episodic memory in transient global amnesia: encoding, storage, or retrieval deficit?, **148**
retrograde amnesia, Episodic memory in transient global amnesia: encoding, storage, or retrieval deficit?, **148**

saccade deficit, Memory guided saccade deficit after caudate nucleus lesion, **524**
saccades, Saccadic performance characteristics and the behavioural neurology of Tourette's syndrome, **305**
Sandifer's syndrome, Sandifer's syndrome and gastro-oesophageal reflux disease: *correspondence,* **805**
Sarcoid tumour, Sarcoid tumour: continuing diagnostic problems in the MRI era, **510**
Schilder's disease, Childhood demyelinating diseases with a prolonged remitting course and their relation to Schilder's disease: report of two cases: *letter,* **407**
schizophrenia, Concurrent performance of motor tasks and processing capacity in patients with schizophrenia, **668**
Impairment of willed actions and use of advance information for movement preparation in schizophrenia, **502**
Protease resistant prion proteins are not present in sporadic "poor outcome" schizophrenia, **90**
Spontaneous dyskinesia in first episode schizophrenia, **76**
schizotypy, Volumetric magnetic resonance imaging study of the brain in subjects with sex chromosome aneuploidies, **628**
Schwartz-Jampel syndrome, Single motor unit activity pattern in patients with Schwartz-Jampel syndrome: *letter,* **252**
scleroderma, Neurology and the skin: *review,* **417**
sclerosing panencephalitis, In vivo cerebral proton MRS in a case of subacute sclerosing panencephalitis: *letter,* **547**
secondary insults, Adding insult to injury: the prognostic value of early secondary insults for survival after traumatic brain injury, **26**
sensation, Non-painful sensory phenomena after spinal cord injury, **617**
sensory neuropathy, Relation between trinucleotide GAA repeat length and sensory neuropathy in Friedreich's ataxia, **93**
SEPs, Neurological complications of anterior spinal surgery for kyphosis with normal somatosensory evoked potentials (SEPs), **662**
serosal fibrosis, Pericardial, retroperitoneal, and pleural fibrosis induced by pergolide, **79**
sex, Are sex and educational level independent predictors of dementia and Alzheimer's disease? Incidence data from the PAQUID project, **177**
sex chromosome aneuploides, Volumetric magnetic resonance imaging study of the brain in subjects with sex chromosome aneuploidies, **628**
skin, Neurology and the skin: *review,* **417**
skull fracture, Significance of vomiting after head injury, **470**
skull radiography, Significance of vomiting after head injury, **470**
small cell lung cancer, Pattern of epitopic reactivity of the anti-Hu antibody on HuD with and without paraneoplastic syndrome, **97**
small cell lung carcinoma, Anti-amphiphysin I antibodies in patients with paraneoplastic neurological disorders associated with small cell lung carcinoma, **214**
somatic mosaicism, Probability of bilateral disease in people presenting with a unilateral vestibular schwannoma, **764**
SPECT, Isolated dysarthria due to extracerebellar lacunar stroke: a central monoparesis of the tongue, **495**
spinal cord, Isolated ischaemia of the spinal cord due to bilateral vertebral artery dissection: *letter,* **804**
spinal cord compression, Recurrent spinal epidural metastases: a prospective study with a complete follow up, **623**
spinal cord injury, Non-painful sensory phenomena after spinal cord injury, **617**
spinal cord lesion, Restless legs syndrome associated with spinal cord lesions: *letter,* **688**
spinal motor neuron, Axonal and perikaryal involvement in chronic inflammatory demyelinating polyneuropathy, **727**
spinal somatosensory evoked potential, Cervical spondylotic myelopathy in elderly people: a high incidence of conduction block at C3–4 or C4–5, **456**
spinal surgery, Neurological complications of anterior spinal surgery for kyphosis with normal somatosensory evoked potentials (SEPs), **662**
spinocerebellar ataxia, Age related axonal neuropathy in spinocerebellar ataxia type 3/Machado-Joseph disease (SCA3/MJD), **222**
spinoglenoid notch, Suprascapular nerve entrapment at the spinoglenoid notch due to a ganglion cyst, **245**
spontaneous dyskinesia, Spontaneous dyskinesia in first episode schizophrenia, **76**
stabilometry, Subjective perception of body sway, **313**
standard mortality ratio, Mortality in patients with epilepsy: 40 years of follow up in a Dutch cohort study, **636**
startle, EMG responses to free fall in elderly subjects and akinetic rigid patients, **447**
statistical parametric mapping, Statistical parametric mapping with ^{18}F-dopa PET shows bilaterally reduced striatal and nigral dopaminergic function in early Parkinson's disease, **754**
stiff man syndrome, Anti-amphiphysin I antibodies in patients with paraneoplastic neurological disorders associated with small cell lung carcinoma, **214**
stimulant medication, Effects of stimulant medication on the lateralisation of line bisection judgements of children with attention deficit hyperactivity disorder, **57**
storage, Episodic memory in transient global amnesia: encoding, storage, or retrieval deficit?, **148**
streptococcal infection, Poststreptococcal neuropathy: *letter,* **690**
stroke, Abundance of left hemispheric embolic strokes complicating coronary angiography and PTCA: *letter,* **116**
Activation of selected trunk muscles during symmetric functional activities in poststroke hemiparetic and hemiplegic patients, **218**
Mechanisms of recovery from aphasia: evidence from positron emission tomography studies, **155**
stroke outcome, Prevention of poststroke depression: 1 year randomised placebo controlled double blind trial of mianserin with 6 month follow up after therapy, **490**
stuttering, Developmental stuttering and Parkinson's disease: the effects of levodopa treatment, **776**
STW, Evaluating methods for estimating premorbid intellectual ability in closed head injury, **474**
subarachnoid cysticerci., Albendazole therapy for subarachnoid cysticerci: clinical and neuroimaging analysis of 17 patients: *correspondence,* **411**
subthalamic nucleus stimulation, Subthalamic nucleus stimulation improves directly levodopa induced dyskinesias in Parkinson's disease: *letter,* **549**
SUDEP, Sudden unexpected death: a rare event in a large community based prospective cohort with newly diagnosed epilepsy and high remission rates: *letter,* **692**

summary measure statistic, "Summary measure" statistic for assessing the outcome of treatment trials in relapsing-remitting multiple sclerosis: *correspondence,* **553**
suprascapular nerve, Suprascapular nerve entrapment at the spinoglenoid notch due to a ganglion cyst, **245**
supraspinal spasticity, Continuous intrathecal baclofen infusion alleviates autonomic dysfunction in patients with severe supraspinal spasticity: *letter,* **114**
surgery, Leptomeningeal metastasis after surgical resection of brain metastases, **225**
survival, Adding insult to injury: the prognostic value of early secondary insults for survival after traumatic brain injury, **26**
Predicting survival using simple clinical variables: a case study in traumatic brain injury, **20**
Susac's syndrome, Microangiopathy of the brain and retina with hearing loss in a 50 year old woman: extending the spectrum of Susac's syndrome, **641**
sustained attention, Higher cerebral function and hemispheric blood flow during awake carotid artery balloon test occlusions, **734**
sympathetic postganglionic fibre, Autonomic dysfunction and orthostatic hypotention caused by vitamin B12 deficiency: *letter,* **804**
sympathetic vestibulopathy, Sympathetic contralateral vestibulopathy after unilateral zoster oticus, **672**
systemic lupus erythematosus, Vasculitic polyradiculopathy in systemic lupus erythematosus, **658**

T cell activation, Cerebrospinal fluid concentrations of soluble CD27 in HTLV-I associated myelopathy and multiple sclerosis, **791**
tardive dyskinesia, Thalamotomy for severe antipsychotic induced tardive dyskinesia and dystonia: *letter,* **250**
tau, The *tau* gene A0 polymorphism in progressive supranuclear palsy and related neurodegenerative diseases, **665**
Tc-99m HMPAO SPECT, Tc-99m HMPAO SPECT in the evaluation of Alzheimer's disease: correlation between neuropsychiatric evaluation and CBF images, **228**
temporal syndrome, Evaluation by magnetic resonance imaging of the entrapped temporal horn syndrome , **113**
thalamic stimulation, Multicentre European study of thalamic stimulation in parkinsonian and essential tremor, **289**
thalamotomy, Stereotactic thalamotomy in the treatment of essential tremor of the upper extremity: reassessment including a blinded measure of outcome, **772**
Thalamotomy for severe antipsychotic induced tardive dyskinesia and dystonia: *letter,* **250**
three dimensional MRI, Facial diplegia with paraesthesias: facial nerve enhancement in three dimensional MRI: *letter,* **688**
thrombophilia, Is inherited thrombophilia a risk factor for arterial stroke?: *correspondence,* **806**
thrombotic thrombocytopenic purpura (TTP), Coma in thrombotic thrombocytopenic purpura: *letter,* **689**
TNF-R family, Cerebrospinal fluid concentrations of soluble CD27 in HTLV-I associated myelopathy and multiple sclerosis, **791**
toluene misuse, Tremor induced by toluene misuse successfully treated by a Vim thalamotomy, **794**
topiramate, Topiramate in clinical practice: first year's postlicensing experience in a specialist epilepsy clinic, **759**
Tourette's syndrome, Saccadic performance characteristics and the behavioural neurology of Tourette's syndrome, **305**
tracking, Distal versus proximal arm tremor in multiple sclerosis assessed by visually guided tracking tasks, **43**
transcranial Doppler, Critical closing pressure in cerebrovascular circulation, **606**
transcranial magnetic stimulation, Central visual, acoustic, and motor pathway involvement in a Charcot-Marie-Tooth family with an Asn205Ser mutation in the connexin 32 gene, **202**
transient global emnesia, Episodic memory in transient global amnesia: *commentary,* **135**
trauma, Predicting survival using simple clinical variables: a case study in traumatic brain injury, **20**
traumatic brain injury, Adding insult to injury: the prognostic value of early secondary insults for survival after traumatic brain injury, **26**
Predicting survival using simple clinical variables: a case study in traumatic brain injury, **20**
treatment, Supratentorial cavernous haemangiomas and epilepsy: a review of the literature and case series: *review,* **561**
The cholinergic hypothesis of Alzheimer's disease: a review of progress: *review,* **137**
treatment outcome, Prevention of poststroke depression: 1 year randomised placebo controlled double blind trial of mianserin with 6 month follow up after therapy, **490**
treatment trials, Statistical power of MRI monitored trials in multiple sclerosis: new data and comparison with previous results, **465**
tremor, Distal versus proximal arm tremor in multiple sclerosis assessed by visually guided tracking tasks, **43**
Tremor in multiple sclerosis: *editorial,* **131**
triptan, A triptan too far?: *correspondence,* **121**
trk A, Decreased CGRP, but preserved Trk A immunoreactivity in nerve fibres in inflamed human superficial temporal arteries, **390**
trunk, Activation of selected trunk muscles during symmetric functional activities in poststroke hemiparetic and hemiplegic patients, **218**
tuberous sclerosis, Early diagnosis of subependymal giant cell astrocytoma in children with tuberous sclerosis, **370**
tumour, Post-traumatic meningioma: case report and historical perspective, **796**

vacuolar myelopathy, Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS: *correspondence,* **554**
Valsalva's manoeuvre., Moyamoya disease presenting as Valsalva related partial seizures , **111**
vasculitis, Carbamazepine hypersensitivity syndrome presenting as vasculitis of the CNS: *letter,* **249**
Poststreptococcal neuropathy: *letter,* **690**
Vasculitic polyradiculopathy in systemic lupus erythematosus, **658**
venous obstruction, Intracerebral haemorrhage due to possible venous obstruction in the neck: *letter,* **118**
vertebral artery dissection, A sensory level on the trunk and sparing the face from vertebral artery dissection: how much more subtle can we get?: *letter,* **691**
MRI in vertebral artery dissection: *letter,* **693**
vertical gaze holding, The role of the nucleus intercalatus in vertical gaze holding: *correspondence,* **552**
vertical saccades, Whipple's disease mimicking progressive supranuclear palsy: the diagnostic value of eye movement recording, **532**
vestibular neuritis, Pontine lesions mimicking acute peripheral vestibulopathy, **340**
vestibular schwannoma, Probability of bilateral disease in people presenting with a unilateral vestibular schwannoma, **764**
vestibulocollic reflex, Click evoked myogenic potentials in the differential diagnosis of acute vertigo, **787**
video-EEG telemetry, Presurgical evaluation of patients with epilepsy and normal MRI: role of scalp video-EEG telemetry, **69**
Vim thalamotomy, Tremor induced by toluene misuse successfully treated by a Vim thalamotomy, **794**
visual evoked potentials, Central visual, acoustic, and motor pathway involvement in a Charcot-Marie-Tooth family with an Asn205Ser mutation in the connexin 32 gene, **202**
visual guidance, Distal versus proximal arm tremor in multiple sclerosis assessed by visually guided tracking tasks, **43**
visual hallucinations, Visual hallucinations and palinopsia due to an occipital lobe tuberculoma, **684**
vitamin B12 deficiency, Autonomic dysfunction and orthostatic hypotention caused by vitamin B12 deficiency: *letter,* **804**
vitamin D, Amelioration of osteopenia and hypovitaminosis D by 1α-hydroxyvitamin D3 in elderly patients with Parkinson's disease, **64**
vomiting, Significance of vomiting after head injury, **470**

wasp sting, Cerebral infarction: a rare complication of wasp sting: *letter,* **550**
whiplash injury, Pain after whiplash: a prospective controlled inception cohort study, **279**
Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome, **485**
whiplash syndrome, A critical appraisal of the chronic whiplash syndrome: *editorial,* **273**
willed action, Impairment of willed actions and use of advance information for movement preparation in schizophrenia, **502**
working memory., Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome, **485**
world wide web, Same name, new face for *JNNP*: www.jnnp.com: *editorial,* **415**
writing stroke sequences, Pure apraxic agraphia with abnormal writing stroke sequences: report of a Japanese patient with a left superior parietal haemorrhage, **233**

xanthogranuloma, Neurological manifestations of Erdheim-Chester disease, **72**
X-linked Charcot-Marie-Tooth disease, Central nervous system involvement in a novel connexin 32 mutation affecting identical twins: *letter,* **803**
X-linked hereditary motor and sensory neuropathy, Central nervous system involvement in a novel connexin 32 mutation affecting identical twins: *letter,* **803**